




# Anger and Behavioral Problems in Children

A Guide to Understanding  
Challenging Behaviors from  
Tantrums to Defiance

GÜLCAN GÖKÇE GÜNGÖREN

# **Anger and Behavioral Problems in Children: A Guide to Understanding Challenging Behaviors from Tantrums to Defiance**

*Öfke Nöbetlerinden İnatlaşmaya, Zorlayıcı Davranışları Anlama  
Rehberi*

Gülcan GÖKÇE GÜNGÖREN

# Contents

---

|                                                                                  |    |
|----------------------------------------------------------------------------------|----|
| Chapter 1 — Anger Is Not a Problem, It Is a Signal                               | 3  |
| Chapter 2 — What Does Your Child's Age Tell You?                                 | 8  |
| Chapter 3 — The Anatomy of a Tantrum                                             | 13 |
| Chapter 4 — Emotion Regulation: Teaching the Child to Calm Down                  | 20 |
| Chapter 5 — Boundaries and Consistent Rules                                      | 25 |
| Chapter 6 — Preventive Routines and Environmental Arrangement                    | 29 |
| Chapter 7 — Making Good Behavior Visible                                         | 33 |
| Chapter 8 — What to Do in the Moment of Hitting, Shouting, and Throwing Objects? | 38 |
| Chapter 9 — Conflict Management and Repair                                       | 44 |
| Chapter 10 — How the Parent Copes with Their Own Anger                           | 49 |
| Chapter 11 — Common Mistakes and Detours                                         | 53 |
| Chapter 12 — A Small Plan for Lasting Change                                     | 58 |



## Anger Is Not a Problem, It Is a Signal

Picture the moment. It's the end of a long day, you've asked your child to do something perfectly ordinary — put on their shoes, turn off the screen, come to the table — and instead of doing it, they explode. Maybe they scream. Maybe they drop to the floor. Maybe they throw the thing nearest to them, or hit out, or stand there rigid with their fists clenched, refusing you with every fiber of their body. And in that moment, the thought that arrives before any other is: *what is wrong with this child?*

It's a fair question, and a common one. But notice what the question assumes — that anger itself is the malfunction, that a child who erupts is a child who is broken or defiant or badly raised. That assumption is where most of the struggle between parent and child actually begins. Before we can respond well to a hard moment, we have to get clear about what we're looking at.

These moments wear many disguises. Sometimes the anger is loud and outward — shouting, slamming, striking out, flinging toys across the room. Sometimes it's quiet and inward — the child who goes stiff and silent, who refuses to move, who answers every request with a flat "no" and a locked jaw. Sometimes it's disguised as something else entirely: sudden tears over a trivial thing, helpless giggling, frantic silliness, a stomachache that appears right before school. All of these can be the same signal wearing different clothes. The form it takes depends on the child's age, their temperament, how much language they have, and how safe they feel expressing what they feel.

### Anger is a feeling, not a behavior

Here is the distinction that changes everything, and it's worth sitting with for a moment: anger and aggression are not the same thing. Anger is an emotion — an internal event, like hunger or fear or joy. Aggression is a behavior — an action taken in the world. We tend to blur them together because they so often arrive at the same time, but they live in different places. One happens *to* your child. The other is something your child *does*.

Why does that matter? Because you cannot responsibly ask a child to stop feeling angry. You can ask them to stop hitting. Emotions aren't obedient — they don't arrive because we've earned them or leave because we've decided they should. Telling a child "don't be angry" is like telling them "don't be hungry." It doesn't remove the feeling; it just teaches them to hide it, and hiding it doesn't make it smaller. Behavior is different. Behavior can be shaped, guided, and given better options.

Suppose that a child is told, again and again, that their anger is unacceptable. What tends to happen is not that the anger disappears but that it goes underground. It might come out later, at a smaller target — the wrong sock, the wrong cup — because the real thing was never allowed a voice. Or it might turn inward and settle into a low, flat mood, or a tight, watchful compliance that looks like good behavior but feels hollow. The feeling didn't vanish. It just lost its outlet.

### **The behavior is pointing at something**

When a child erupts, the eruption is rarely about the shoes or the screen. It's a message sent in the only language the child has available at that moment. Underneath the shouting or the throwing is usually an unmet need — and the need is often one of a small handful of things. The need to feel some control over their own life. The need to be seen and taken seriously. The need for rest, food, or quiet when their body is running on empty. The need to escape something frightening or overwhelming. The need for connection, especially after a rupture.

This is why the same request can produce calm one day and a meltdown the next. The behavior isn't random; it's responding to a state we may not be able to see from the outside. A child who is tired, hungry, overstimulated, or still carrying the sting of a hard morning has far less room to absorb one more demand. The demand didn't change. The child's capacity did.

The tricky part is that the message is often inarticulate, and sometimes it's aimed at the wrong person. A child who had a frightening day at school may come home and yell at the person who feels safest — you. That's not a sign of bad parenting; it's a sign that home is where they feel safe enough to fall apart. It doesn't make the yelling acceptable, but it reframes what you're dealing with. You're not being attacked by a hostile person. You're being handed a signal by someone who doesn't yet have a better way to send it.

### **Why it keeps happening**

If you've tried to reason with your child mid-meltdown and watched your words bounce off, you've already met the mechanism. When a child is flooded with strong emotion, the thinking, reasoning part of the brain is not available in the way it usually is. This isn't defiance or a choice to ignore you. It's that the part of the child that could take in your excellent explanation has, for the moment, stepped offline. The reasoning you offer in that state has nowhere to land. This is why the same conversation that works beautifully at a calm moment seems to vanish entirely during a storm.

There's also the matter of practice. A young child is not born knowing how to name what they feel, how to ask for what they need, or how to wait when they want something badly. These are skills, and skills are built slowly, through repetition — and through many imperfect attempts. A child who shouts "I hate you" when you say no is often a child who hasn't yet assembled the words for "I'm disappointed, and I don't know what to do with this feeling." The outburst is a beginner's attempt at communication, not a final verdict on their character.

And then there's the loop that keeps it going. When a stressful moment repeats and nothing underneath it changes — the child stays tired, the pressure stays on, the need stays unmet — the same behavior tends to come back. It comes back because it's doing a job, even a crude one. It gets attention. It gets the demand to stop. It brings relief. Over time, the child learns that this is a way to make something happen. Our job isn't to crush that instinct but to help the child build a better route to the same destination — to getting their need met, to being heard, to finding some breathing room.

None of this means the behavior doesn't matter, or that you should simply stand back and let it happen. Hitting is still not okay. Limits still have a place. But the limits work far better when they rest on an understanding of what's actually going on. A child who feels understood is a child who can begin to calm. A child who feels only corrected is a child who has to fight harder to be seen. The anger, in the end, isn't the problem you're fighting. It's the signal telling you where to look.

The demand dropped, the argument ended, the room went quiet. From the outside it looks like the behavior worked, and in a narrow sense it did. That's exactly why it keeps coming back.

### **One small step you can take today**

You don't need a new system or a laminated chart to start. You need one small, repeatable move, and the simplest one is this: when the storm hits, name the feeling before you address the behavior. Not as a technique to make the shouting stop — it won't, not the first time, maybe not the tenth — but as a way of showing your child that the feeling itself has a name and a place in your home.

It sounds like: "You're really angry that I said no." "You wanted to keep playing and I stopped you, and that made you furious." Notice what's absent. There's no lesson, no correction, no "but you can't hit." That comes later, once the storm has passed. In the middle of it, you're doing one thing only — putting words to the feeling so your child doesn't have to carry it alone and wordless.

Suppose your child throws a shoe because you turned off the television. In the moment, you might say: "You're angry. You didn't want the TV off." Then you wait. You don't fix it, you don't argue, you don't take the bait if they escalate. You stay nearby, calm, and let the feeling burn through its own fuel. When the crying slows and their breathing settles, then — and only then — you can address the shoe: "We don't throw things. If you're angry, you can stomp your foot or tell me." That is the whole move. Name it in the storm, guide it after.

To keep it going, pick one moment a day to practice naming feelings when there is no storm at all. A calm moment is where the skill gets built. "You looked frustrated when that tower fell." "You seem excited about tomorrow." This is not a lecture; it's a short observation, dropped in and left alone. Over time it gives your child a vocabulary they can reach for when the storm comes, and it gives you a habit that's already warm when you need it most.

### **Where people usually stumble**

The first stumble is expecting the naming to work immediately. You say "you're angry" and your child screams louder, and you conclude it failed. It didn't fail — it landed in a brain that is currently flooded and cannot process it. The naming is not a switch; it's a seed. It works over many repetitions, in calm moments and stormy ones, and its payoff is slow and uneven. If you measure it by whether the tantrum stopped this time, you will quit too early.

The second stumble is slipping into correction too soon. The moment you add "but you shouldn't hit," you've moved from joining your child to lecturing them, and the door closes. It takes real restraint to stay with the feeling and hold the boundary until the storm passes. If you catch yourself doing it, don't scold yourself — just notice and return to naming. You'll get another chance in the same week, probably the same day.

The third stumble is the adult's own storm. When your child erupts, your body responds too — jaw tightens, voice rises, the urge to win the moment arrives fast. This is normal, and it's the hardest part. If you can, put a small pause between the trigger and your response: one slow breath, or a quiet "I need a second" before you speak. If you can't manage it and you snap, that's not failure; that's information. Repair afterward with a simple sentence — "I yelled. That wasn't okay. I'm sorry." Repairing teaches your child something no lecture can: that ruptures happen and can be mended.

As for how long change takes, be honest with yourself. You are not fixing a behavior; you are helping a person build a skill, and skills grow by fits and starts. You may see more

naming and less hitting over weeks, then a hard week that feels like a setback. That's the shape of it. The goal is not a child who never gets angry — that child doesn't exist — but a child who, over time, has a few more words and a few more seconds before the feeling turns into an action. That is real progress, and it is enough.

### **A short closing summary**

Anger is not the problem. It is a signal — a message about an unmet need, sent in the only language your child has right now. Aggression is different: it's a behavior, and behavior can be guided. Your job in the storm is not to argue your child out of their feeling but to name it, stay calm beside it, and address the behavior once the flood has passed. One small step — naming the feeling — practiced in calm moments and stormy ones alike, is enough to begin. Expect stumbles, including your own, and treat repair as part of the work rather than a sign it's going wrong.

#### **PRACTICE**

1. In the next storm, say one sentence that names the feeling — "You're angry that I said no" — and stop there.
2. After the storm passes, address the behavior in one calm sentence: "We don't throw things. You can stomp your foot instead."
3. Once a day, name a feeling in a calm moment, briefly and without a lesson.
4. If you snap, repair with a short apology — and count that as part of the practice, not a failure.

## What Does Your Child's Age Tell You?

Have you ever found yourself in the middle of a moment you did not expect — the shoes are on the wrong feet, the toast is cut the wrong way, and suddenly the whole morning is on fire? Nothing you say lands. Everything you offer is refused. You are standing there wondering how a piece of toast turned into this, and a small voice in your head is asking whether you are doing something wrong.

That moment takes many shapes. Sometimes it is loud: shouting, stomping, a door slammed hard enough to rattle the frame. Sometimes it is physical: a hit, a kick, a toy thrown across the room. Sometimes it is quiet and immovable: a child who simply will not move, will not answer, will not put on the coat, no matter how patiently you ask. And sometimes it is the daily grind of rules — teeth, bedtime, screens, homework — where every instruction meets the same resistance and every evening ends in the same tired standoff.

Here is the first thing worth holding on to: these moments do not all mean the same thing. The same behavior can come from completely different places depending on how old the child is. A two-year-old who throws food off the tray is doing something very different from a seven-year-old who throws a plate. The action looks similar on the surface. Underneath, they are not the same event at all, and they do not call for the same response from you.

### The Same Behavior, a Different Child

Think about what a child actually brings to a difficult moment. They bring a brain that is still under construction, a vocabulary that may not yet hold the words for what they feel, and a set of skills for managing frustration that are still being built. All three of these change enormously with age — and all three shape what a challenging behavior is really communicating.

Suppose a four-year-old melts down because you poured the juice into the blue cup instead of the red one. It is tempting to read this as defiance, as a child digging in to make your life harder. But at that age, the world is still being organized, and small rituals and predictable order are part of how a child feels safe. The wrong cup is not a trivial detail to them; it is a crack in the order they were counting on. The behavior is about the need for predictability, not about winning a contest with you.

Now suppose a nine-year-old refuses to do homework and slams a book shut. The same surface behavior — refusal, a slam — is coming from somewhere else entirely. By this age, a child has a much clearer sense of fairness, of competence, of being judged. The refusal may be about fear of failing, about feeling incapable, about a day that already asked too much of them. Reading it as simple defiance would miss the point, and responding to it as if it were a toddler's meltdown would miss it too.

This is why a single rule like "never give in to a tantrum" or "always stay firm" can feel right in one moment and completely wrong in another. The behavior is the same; the child is not. The meaning shifts with the developmental stage, and your response has to shift with it.

### **Why the Same Scene Repeats**

If you have ever felt like you are living the same fight over and over — the same morning, the same battle, the same exhausted ending — there is a reason. Behavior that gets a response tends to come back. That is not a sign that your child is scheming or that you are failing. It is simply how patterns form, in children and in all of us.

Consider what happens in a heated moment. A child feels something big — frustration, disappointment, fear, a sense of unfairness — and does not yet have a reliable way to name it or manage it. The feeling spills out as behavior, because behavior is the fastest channel available. If that spill gets a reaction — attention, a raised voice, a negotiation, a sudden change in the plan — the child's system quietly notes: that worked, or at least that connected. Next time the feeling rises, the behavior comes back a little more easily.

This is the mechanism underneath the repetition, and it is worth sitting with because it takes the blame out of the picture. Your child is not out to get you. They are running a very old, very human program: when something feels too big to hold, let it out and see what happens. Your job is not to punish the program out of them. It is to help them build a better channel — slowly, over time, one small step at a time.

And here is where a little calm goes a long way. Goldie Hawn, in "10 mindful minutes" (2011), makes the case that even brief moments of settling the mind — for adults and children alike — can change how a difficult moment unfolds. It is a modest idea rather than a cure, but it points at something real: the pause between the feeling and the behavior is where things can begin to shift. Not overnight, and not every time. But a pause you practice is a pause that becomes a little more available when you need it.

### **Matching the Expectation to the Child**

The most practical thing you can take from all of this is a question to ask yourself in the middle of a hard moment: is what I am expecting actually within this child's reach right now? Not what a child their age "should" be able to do in theory — but what this particular child, on this particular day, with these particular skills, can genuinely manage.

A toddler cannot regulate a storm of feeling alone; the part of the brain that does that is years from being finished. Expecting them to talk it out calmly is asking for something they do not yet have. A school-age child can reason and negotiate far more than a toddler, but may still collapse when tired, hungry, or overwhelmed. A teenager pushing back is often doing the developmental work of forming an identity — the resistance is not a malfunction, it is part of the job.

When the expectation fits the child, the same behavior suddenly looks less like a problem to be crushed and more like a signal to be read. You stop asking "how do I make this stop?" and start asking "what is this telling me?" That shift does not make the hard moments disappear. But it changes what you do inside them — and over time, that changes the pattern itself.

ling me?" That shift does not solve everything, but it changes what you do next — and over time, it changes what your child learns about what to do with a big feeling.

### **One Small Step You Can Take Today**

Pick one recurring difficult moment — not all of them, just one. The morning shoe battle, the bedtime resistance, the after-school slump. Choose the one that repeats most reliably, because a pattern is easier to work with than a one-off.

Before that moment arrives, ask yourself the question from the last section: what can this child actually manage here, today, given their age and their state? Then adjust one thing — just one — to fit that answer. If your four-year-old melts down over the wrong cup, offer two acceptable choices ahead of time instead of one decision made for them. If your nine-year-old shuts down over homework, shorten the first task to something almost trivially small so the start is not the hardest part. The adjustment is not a fix; it is a test of whether your expectation was sitting slightly above the child's reach.

Then watch what happens, without judging the whole experiment on a single day. Did the moment get a little shorter? A little quieter? Did it happen at all? These small observations are your data. Keep the adjustment if it helped even marginally, and drop it if it did not — no shame in either outcome. The point is not to find the perfect move on the first try. It is

to get in the habit of fitting the demand to the child rather than forcing the child to fit the demand.

To keep it going, anchor the step to the moment itself rather than to your willpower. You will forget to do this on a rushed Tuesday; that is normal. What matters is that the next time the moment comes around, you remember the question again. One question, asked repeatedly over weeks, does more than an elaborate plan abandoned by Friday.

### **Where People Usually Stumble**

The most common stumble is expecting the change to show up immediately. You adjust the expectation, the next morning goes better, and you quietly conclude you have solved it — and then Thursday arrives and the whole thing falls apart again. That is not failure. That is what change actually looks like: two steps forward, one back, repeated for a while. If you read the backward step as proof that nothing works, you will abandon the approach right when it is starting to take hold.

The second stumble is applying the age-awareness only in calm moments. It is easy to reason about developmental stages over a cup of tea and much harder to remember any of it when a shoe is flying across the hallway. When that happens — and it will — do not try to run the whole analysis mid-meltdown. You cannot. In the hot moment, your only job is to stay steady and keep everyone safe. The thinking about what it meant comes afterward, when things are quiet. Trying to diagnose your child while they are screaming at you is a recipe for losing your own temper.

The third stumble is overcorrecting. Once you realize that a behavior is developmental, it is tempting to swing to the opposite extreme — to excuse everything, to expect nothing, to stop setting any limits at all. That is not what age-awareness asks of you. A toddler still needs to be told no. A school-age child still needs boundaries. Understanding why a behavior happens does not mean accepting it without limit; it means responding to the reason rather than only to the surface. Limits and understanding are not opposites — they work best together.

As for how long it takes: honestly, longer than feels comfortable. You are not changing a single behavior; you are slowly building a new pattern in a child whose brain is still under construction, and building a new habit in yourself at the same time. Think in weeks and months, not days. The signs of progress are small and easy to miss — a meltdown that ends two minutes sooner, a refusal that turns into a grudging yes, a moment where your child uses a word instead of a shout. Those are the real milestones. Collect them.

## A Short Closing Summary

Your child's age and developmental stage change what a difficult behavior actually means. The same surface action — a thrown object, a refusal, a shout — can come from a need for predictability in a small child, a fear of failing in an older one, or the work of forming an identity in a teenager. When you fit your expectation to what the child can genuinely manage, the behavior stops looking like a war to be won and starts looking like a signal to be read.

None of this makes hard moments disappear. It makes them a little more understandable, and a little less personal — and that alone changes how you show up inside them. Take one moment, ask one question, adjust one thing. That is enough to start.

### PRACTICE

1. Choose one recurring difficult moment and write down what your child's age and current state actually allow them to manage there.
2. Change one thing about how you set up that moment so the demand fits the child, and try it for a week.
3. After each attempt, note one small sign of what happened — shorter, quieter, or unchanged — without judging the whole effort on one day.
4. When a backward step comes, treat it as normal and ask the same question again next time rather than abandoning the approach.

# The Anatomy of a Tantrum

Think of the last time your child's anger seemed to come out of nowhere. One moment things were fine — maybe you were getting shoes on, or pouring the wrong colour of cup — and the next moment the room had turned upside down. Perhaps it was a meltdown on the floor of a shop, or a slammed door, or a small hand swinging at you because you said no. What happened in those few seconds? If you could slow the whole thing down and watch it frame by frame, what would you actually see?

That question matters more than it might first appear. Most of us, in the middle of a hard moment, are not watching the moment. We are inside it — reacting, correcting, trying to make it stop. And because we never get a good look at the thing, it keeps surprising us. It arrives from nowhere, it ruins the morning, it leaves everyone raw. The same shape repeats next week.

Suppose that instead you could learn to recognise the parts of it, the way you might learn to recognise the stages of a storm. Weather forecasters do not stop storms, but they do know what the early signs look like, they know when the worst will hit, and they know when it will pass. That knowledge changes how they stand in the wind. The same is true here. A tantrum is not a single explosion. It is a short process with a beginning, a middle and an end, and the beginning looks almost nothing like the middle. When you can tell which part you are in, you stop making the common mistake of treating the whole thing the same way.

In daily life these situations wear a handful of familiar faces. There is the transition that goes wrong — leaving the park, turning off the screen, coming in from playing. There is the word "no," delivered calmly and received like a declaration of war. There is the small frustration: a broken cracker, a sock that will not go on the right way, a tower that falls. There is the tired version, usually late in the day, when the same request that worked at breakfast suddenly produces tears and hitting. And there is the watchful version, where a child melts down in front of one parent and not the other, or at home but never at nursery. None of these are all that different underneath. They are the same machinery, started by different keys.

## The Four Stages, One at a Time

**The trigger is rarely the cause.** This is the first thing to get straight, because it is where most of us go wrong. The trigger is the visible event — you said no to a biscuit, you turned off the television, you put the wrong cup on the table. But the trigger only works because

something underneath was already primed. A well-fed, well-rested child who has had a good day can usually survive a "no" with a grumble. The same child at the end of a long day, hungry and overstimulated, can come apart at the same "no." So when you are looking for what happened, do not stop at the biscuit. Ask what the day had been like up to that biscuit.

In ordinary life this means becoming a bit of a detective about your own child's conditions. Not obsessively, and not with a spreadsheet — just noticing. Does the difficulty cluster around certain times of day? Around hunger, or tiredness, or the hour after a busy outing? Does it happen more when the house is noisy, or when a routine has been broken? You are not looking for a diagnosis. You are looking for patterns, because patterns you can work with. A child who reliably falls apart at the supermarket at five o'clock is not a badly behaved child; that is a child whose trigger is stacked on top of a tired, hungry, overstimulated state, and the fix may be as simple as going in the morning, or bringing a snack.

In *The Everything Guide to Raising a Toddler*, Ellen Bowers makes the point that much of what looks like defiance in young children is really the collision between a growing wish for independence and a set of skills that are not yet there. That is a useful way to hold the trigger stage in your mind. The child wants to do it themselves, choose it themselves, decide themselves — and the trigger is the moment the world says they cannot. The anger is not aimed at the biscuit. It is the sound of that wish hitting a wall.

**The rise is where the choice is made.** After the trigger, there is a stage where the child is escalating but not yet gone. The voice gets louder, the body gets stiffer, the protest starts to take shape. This stage is short, and it is the most important one for you, because it is the only stage where anything you do has a real chance of changing the course of events. Once a child has gone over the top, you cannot reason them back down — but during the rise, sometimes, you can.

What you do in the rise is not complicated, but it does require you to notice it is happening. The most common mistake is to miss the rise entirely, because we are busy finishing our sentence or winning the point. The second most common mistake is to make the rise worse — to raise our own voice, to argue the logic of the biscuit, to add a new threat. None of that lands, because the child is no longer in a state where words and logic get through. What tends to help is smaller and quieter: lowering your own voice instead of raising it, naming what is happening, offering a way out that is not a climbdown. "You really wanted that. It's hard when I say no. Let's go and get some water." You are not

giving in. You are giving the rising child something to move toward instead of something to push against.

**The peak is not the time to teach.** Somewhere in the middle, the child goes fully over. This is the part that looks the worst and frightens adults the most — screaming, hitting, throwing, going rigid or collapsing. It is worth saying plainly: at this point the child is not choosing to behave this way in any ordinary sense. Their thinking has been swamped by feeling. The part of them that could hear an explanation and act on it is temporarily offline. If you try to reason at the peak, you are talking to someone who is not there.

So at the peak, your job shrinks. It is not to teach, correct or resolve. It is to keep everyone safe and to be a calm presence in a storm that has to run its course. Sometimes that means staying close and quiet. Sometimes it means giving a little space. Sometimes it means moving a smaller child out of a room where something could be broken. If your child hits or throws, the boundary still holds — you stop it, gently and firmly, without a lecture in the moment — but the teaching about hitting happens later, after the storm has passed. Trying to have that conversation at the peak is like trying to teach someone to swim while they are drowning.

**The calm-down is quiet, and it takes time.** After the peak, the child comes down. It is easy to miss this stage because it is undramatic: the crying softens, the body loosens, the child may want to be held or may want to be left alone. This is the recovery, and it needs to be allowed to happen. Some children want physical comfort; some want silence; some seem almost embarrassed and turn away. There is no single right way. What matters is that you are not still fighting a battle that is already over. If you are still lecturing while the child is coming down, you are extending the storm.

There is something else worth noticing about this stage. It is often when the child is most open — not to a lecture, but to a quiet moment of reconnection. A hug, a glass of water, sitting together without a word. This is also, gently and briefly, where learning can happen: a short, simple sentence about what we do instead, offered once and not laboured. But it only works if the calm-down is genuinely calm. Keep the door open here, because this is where the next tantrum can be made a little less likely.

## **What Is Actually Going On Underneath**

Now step back from the four stages and look at the machinery they are made of. A tantrum is not a plot against you, and it is not a sign that your child is unusually difficult or that you are doing it wrong. It is what happens when a feeling is bigger than the ability to manage it. That gap — between the size of the feeling and the skill available to handle it — is the

whole story. When a child has the skills to cope, the feeling passes and nothing explodes. When the feeling arrives before the skill does, it comes out as a tantrum. And in children, the skill is always still under construction. That is not a flaw. It is the developmental stage.

This is why reasoning tends to fail and why the same thing repeats. The repeat is not stubbornness and not a failure of your earlier explanations. It is that the underlying gap has not closed yet — the child still does not have the skill, so when the same feeling arrives again, it comes out the same way. The repetition is a signal about what is still being learned, not a verdict on your parenting. It also explains why a child can seem so reasonable one hour and so impossible the next: the gap is not fixed. It narrows when a child is rested, fed, safe and connected, and widens when they are tired, hungry, overwhelmed or unwell. The child is the same child. The gap is not the same size.

Once you see it this way, a lot of the heat goes out of the moment. You are not dealing with an opponent who is out to win something. You are dealing with a small person whose feelings arrive faster than their ability to carry them, and who needs an adult to lend them some calm while they learn. In the next pages we will look at how to build the skills that close that gap over time, and at how to handle the situations where the gap is simply too wide for the moment. For now, hold onto the picture: four stages, one underlying gap, and a child who is learning — slowly, and with your help — how to carry a big feeling without it carrying them.

the work is not to fix the feeling but to keep everyone safe and to stay nearby. Lower the demands to almost nothing. Fewer words, not more. A calm body beside them if they will let you, or a safe distance if they will not. You are not abandoning the lesson; you are waiting until there is someone home to learn it.

It helps to remember what the peak is for, developmentally. A young child's nervous system is doing something it has not yet learned to do alone: it is handling a feeling that is bigger than its current capacity. Over time, with repetition and with calm adults nearby, that capacity grows. But it grows through experience, not through lectures delivered mid-storm. Every peak that ends with a child safely back in their body, and an adult still there, is a small deposit in that account.

**The calm-down is the part we waste.** The storm passes. The crying softens, the body loosens, the child comes back. This is the stage most adults rush — we are so relieved it is over that we either want to move on instantly or, worse, we use the moment to deliver the lesson we have been holding. "See what happens when you behave like that?" It feels like a natural time to teach, because now they can hear you. But it is not a natural time. It is a

tender time. The child has just been through something exhausting, and what they need first is reconnection, not a review.

There is a better use of this stage: quiet, warm, brief. A hand on the back. "That was hard. You're okay now." No lecture, no relitigating. Some children want a cuddle; some want to be left alone for a minute; some want to go back to playing as if nothing happened. All of those are fine. The teaching, if there is teaching to do, can wait — often until much later, sometimes the next day, in a calm moment when you can talk about it as a shared problem rather than a fresh wound. "Remember yesterday when the tower fell? That was really frustrating, wasn't it." That kind of conversation lands. The one delivered at the end of a tantrum mostly bounces off.

### **One Small Step You Can Take Today**

Here is something concrete, and it is small on purpose. Pick one recurring hard moment in your week — the after-nursery pickup, the pre-dinner hour, the bedtime screen turn-off. Just one. Now write down, in a sentence or two, what usually happens right before it. Not the trigger itself, but the conditions around it. Was there a rushed transition? Was lunch early or late? Was the house loud? Was there a screen that had to be switched off with no warning? You are doing the detective work from the trigger stage, but on paper, once, for one situation.

Then make one adjustment to the conditions, not to the child. Add a five-minute warning before the screen goes off. Move the snack earlier. Bring a book in the car for the pickup. Change one thing, and watch what happens over the next week. If the hard moment softens even a little, you have learned something real about your child — and about how much of the storm was being built before the storm began.

To keep it going, keep the experiment small and keep it honest. One situation, one change, one week. If it does not help, that is not a failure; it is information. You have ruled something out and you try the next small thing. The point is not to eliminate every tantrum — that is not on offer — but to build a slow, working map of your own child's weather. A map you made yourself is worth more than any general advice, because it is about this child, in this house, on these days.

### **Where People Usually Stumble**

The first stumble is expecting the map to work immediately. You add the five-minute warning and the next tantrum still happens, so you conclude the whole idea is useless. But you are not testing whether tantrums stop. You are testing whether they get slightly shorter,

slightly less frequent, slightly easier to come back from. Those changes are slow and they are easy to miss if you are watching for a dramatic fix. Give it more than one week before you judge it.

The second stumble is trying to do all four stages at once. You read about triggers and rises and peaks and calm-downs, and you try to apply the whole framework to every hard moment of the day. That is too much to hold in your head while you are also making dinner. Pick one stage to get better at first. Many parents find the rise is the most useful one to practise, because it is the one stage where a small change can actually redirect the whole thing. Get good at noticing the rise before you worry about mastering the rest.

The third stumble is the hardest and the most human: your own rise. Your child escalates, and your body does the same thing theirs is doing — heart speeds up, voice sharpens, the urge to win the point arrives. It is very hard to stay calm beside a screaming child when your own system is sounding alarms. When you notice your own rise, the honest move is to buy yourself a few seconds. Lower your voice deliberately, even if it feels fake. Take one slow breath out. Step back a pace if you can. You are not failing if you feel the rise; you are only failing if you pretend it is not there and let it drive.

Realistically, this is a matter of months, not days. The capacity to notice, to pause, to choose a different response, is a skill, and skills are built by repetition and by getting it wrong sometimes. There will be weeks where it all falls apart and you feel you have learned nothing. Then a moment will come where you catch the rise, say the quiet thing, and watch the whole thing fizzle instead of explode — and you will realise something has shifted. Not perfectly, not permanently, but really.

## **A Short Summary**

A tantrum is not one thing. It is a short process with four parts. The trigger is usually smaller than the cause, and the cause is usually in the conditions of the day. The rise is where your response can still change the course, if you notice it in time. The peak is not for teaching — it is for safety, few words, and staying near. The calm-down is for reconnection, with the lesson saved for later. Learn to tell which part you are in, and you stop treating every moment the same way. Start with one situation, one small change, and give it real time.

### **PRACTICE**

1. Choose one recurring hard moment this week and write down, in two sentences, what usually happens right before it.
2. Change one condition around that moment — a warning, a snack, a quieter setting — and keep everything else the same.
3. For one week, practise noticing the rise: when the voice or body starts to escalate, lower your own voice and offer one small way forward.
4. At the end of the week, note what shifted, even slightly, and pick the next single thing to adjust.

# Emotion Regulation: Teaching the Child to Calm Down

Has this ever happened to you? You're in the middle of a supermarket aisle, or standing over the sink with dinner half-made, and your child is suddenly screaming — about the wrong cup, the wrong socks, a request you can't even identify — and you feel yourself tighten, because you have no idea where this is coming from or what to do with it.

That moment doesn't always look dramatic. Sometimes it's a full meltdown on the kitchen floor. Sometimes it's colder than that: a child who goes stiff and silent, who slams a door, who throws a shoe with surprising accuracy, who shouts "I hate you" and means it in the moment. Sometimes it's the smaller daily grind — a morning that falls apart over a zipper, a bedtime that turns into a negotiation, a child who hits a sibling and then looks at you as if nothing happened. Different shapes, same question underneath: what am I supposed to do with this?

## What the storm is made of

Underneath almost every one of these moments is a simple and slightly inconvenient fact: the feeling arrived before the ability to handle it. Anger itself is not a malfunction. It's a normal, useful signal — it shows up when something feels unfair, blocked, scary, or too much. The problem is not that the child has the feeling. The problem is that the part of the brain that could slow it down, put words to it, and choose a response is the part that takes the longest to develop.

That's the mechanism, and it explains why the same child who can reason calmly at breakfast can seem to lose all reasoning by evening. The calm version and the overwhelmed version are not two different children. They are the same child with different amounts of support under them — sleep, hunger, noise, transition, a long day of holding things together. When the load gets too high, the thinking part steps offline and the feeling part takes the wheel. Nothing mysterious has happened. Something very ordinary has: the load exceeded the skills available in that moment. If you get this root idea — feelings are fine, skills are still forming — everything else changes, including the way you talk to your child about it.

## Why it keeps happening

This is also the answer to the question parents ask most: why does it keep happening, even after a good conversation, even after a calm repair?

Because knowing and doing are two different roads, and the second road is built slowly. A child can genuinely understand, in a peaceful moment, that hitting is wrong and that they should use their words — and still hit three hours later. That isn't defiance or forgetting. In the middle of a surge, the calm knowledge is simply not reachable. What gets built in a child is not information but a practiced route from "this is unbearable" back to "I can manage this," and routes are built by repetition, not by explanation. That's why the work in this chapter is small and boring on purpose: short, daily, repeated, unglamorous.

Understanding this has a second effect worth naming. It changes the adult's role. You are not there to talk the storm away or to win against it; you are there to be steady while it passes, and to hand the child one small skill at a time until they can do it themselves. Thomas W. Phelan, in *1-2-3 Magic* (1995), makes the useful point that adults often talk too much precisely when talking helps least — counting and a brief, calm response do more than a speech — and that same restraint applies here: in the middle of a big feeling, your quiet presence does more work than your words. Less talk, more co-regulation.

### **Before soothing: helping the child notice**

You cannot calm down a feeling you haven't noticed. This sounds obvious, and it's where most of the work actually starts.

Young children often have no idea what is happening inside them until it's already spilling out through their arms and voice. So the first skill is not calming but noticing — helping the child catch the early edge of the feeling. The way you build this is by naming what you see, calmly and without judgment, as it happens. "Your hands are tight." "Your voice got loud." "You pulled away when I said it was time to go." Short observations, not questions and not lectures.

Why does this matter so much? Because a child who can notice "I'm getting angry" is a child who has a small gap of time before acting. Inside that gap, a choice becomes possible. A child who only notices the feeling after the shouting has begun has no gap at all — the feeling and the action are fused. Building the noticing skill is like widening a doorway that is currently too narrow to walk through in the heat of the moment.

### **Putting a name on it**

Once the child can notice, the next small step is naming. "That's frustration." "That's disappointment." "You're really angry because I said no." The words themselves begin to do part of the work — a named feeling is easier to hold than a nameless one.

Adults hold the naming role first; the child borrows your words until they become their own. You don't need to hit the exact right word every time — "upset," "annoyed," "angry," "frustrated" all do the job. The point isn't precision. The point is that the child hears their inner state reflected back to them, calmly, and slowly learns that the chaos inside has a name and that the name can be said out loud instead of thrown.

This step is easy to skip, and skipping it has a cost. Many parents move straight from "you hit" to "say sorry," without ever helping the child see that a feeling was the thing in the way. The apology happens, and nothing underneath it has been built.

The adult's job in that moment is to supply the calm, not to demand it. That's the whole trick, and it's harder than it sounds, because a dysregulated child is very good at pulling you into the same storm — the louder they get, the louder you want to get. Co-regulation means the opposite: your steadiness is the cue the child's nervous system is reading, even when they look like they're ignoring you. You don't need to feel calm. You just need to act calm enough that your body slows the room down instead of speeding it up.

### **One small step you can take today**

Here is something you can do before the day is over, and it doesn't require a plan, a chart, or a conversation with anyone. Pick one ordinary moment — dinner, bath, bedtime — and build one small pause into it. Not a reward, not a warning, just a pause. Two minutes of sitting on the floor with your child doing nothing in particular, or a slow count to five during a transition, or turning the lights down a little earlier than usual. Then say one sentence out loud about what you noticed: "You looked frustrated when I said five more minutes." That's it. That's the whole step.

The reason to start this small is that you are not trying to fix the meltdown; you are trying to build a habit — and habits only stick when they are small enough to do on a bad day. If your version of this step needs perfect conditions, it will not survive a Tuesday. Pick something you could still do while tired, distracted, or annoyed. That is the version that will actually happen.

To keep it going, attach the pause to something that already happens every day. The pause lives inside the routine, not next to it. After a week, you won't be doing an exercise; you'll just be doing bedtime. And notice — silently, to yourself — whether your child begins to borrow the words you say. That's not proof of anything yet, but it is a sign the practice is landing.

### **When you restart the same conversation**

The most common place people stumble is the middle of a meltdown itself. You've learned about naming feelings, so you try to name them right when the storm is at its peak — and it doesn't work, and you feel like the whole approach failed. It didn't. Naming works before and after the peak, not during it. A child in full surge cannot process language, so your words collide with the noise and disappear. In that moment, drop the words and stay present: lower your voice, get closer or give space, whatever your child needs, and wait. The teaching happens on the calm side of the wave.

The second stumble is expecting the child to use skills you haven't practiced with them. Suppose that you've talked about "taking a breath when you're angry" — but the child has only ever heard that idea once, in a peaceful moment, and never practiced it while mildly frustrated. Then it won't show up in a real storm. Skills need rehearsal at low intensity before they work at high intensity. Practice the breath when the child is only a little annoyed, not furious. Practice naming feelings about a character in a book, not about the child's own rage. Small stakes first.

The third stumble is quieter and more personal: you lose your own calm, say something sharp, and then feel like you've undone the progress. You haven't. Repair matters more than perfection, and repair is simple — later, when everyone is settled, say what happened: "I got loud earlier. I was frustrated. I'm sorry." That models exactly the sequence you're trying to teach. A child who sees an adult notice a feeling, name it, and come back afterwards learns more from that than from a hundred calm lectures.

As for how long this takes, the honest answer is that it's slow and uneven, and it will look like nothing is happening for a while. There's no clean timeline to give you, because it depends on the child's age, their temperament, and what else is going on in their life. What you can reasonably expect is not that meltdowns stop, but that over time they shorten slightly, recovery comes a little faster, and your child starts to reach for words a bit sooner. Those are small signs, and they are the real ones. If you're watching for a dramatic transformation, you'll miss them.

### **A short closing**

The work of this chapter is not complicated, but it is patient: help the child notice what's happening inside, give it a name, and stay steady while the feeling passes — then practice the same small steps again tomorrow. You are not teaching a child to stop having feelings. You are teaching a child that feelings can be noticed, named, and survived, and that there is an adult beside them who can hold the calm until they can hold it themselves.

### **UYGULAMA:**

1. Choose one daily routine — dinner, bath, or bedtime — and add a two-minute pause to it, every day this week. 2. During that pause, say one short observation out loud about what you noticed in your child, without judgment or a question. 3. The next time a meltdown starts, say nothing about feelings in the middle of it. Stay steady and wait for the calm side of the wave. 4. If you lose your calm, repair it later with one plain sentence: what happened, what you felt, and an apology. No speech.

#### **PRACTICE**

1. During a difficult moment, calmly name what you notice in one short sentence: "Your hands are tight" or "Your voice got loud."
2. Offer a simple label for the feeling: "That's frustration" or "You're really angry because I said no."
3. Stay steady and quiet — let your calm presence, not a speech, be what the child's nervous system reads.
4. Repeat these small steps daily, without expecting immediate results; the route is built by repetition, not explanation.

## Boundaries and Consistent Rules

Have you ever said yes to something, watched your child's face light up, and then felt a small, uncomfortable tug somewhere in your chest — because you knew, even as you said it, that tomorrow you would probably say no?

Maybe it's the tablet. Maybe it's the biscuit before dinner, or the ten more minutes at the park, or the rule about shoes on the sofa that you enforce on Tuesday and quietly ignore on Saturday. If you have, you are not alone, and you are not doing anything unusual. Most parents live in this small, private contradiction. We want to be generous. We want peace. And we are tired. So the boundary bends — and then, later, it snaps back.

Think about the shapes this takes in ordinary family life. Bedtime is eight o'clock, except on the nights when getting a child to sleep is so exhausting that you let it slide to nine. Screen time is limited, except when you need twenty quiet minutes to make a phone call. Snacks are eaten at the table, except when you are out, except when a friend is over, except when you simply cannot face the argument today. Each of these choices is completely human. Each one, on its own, seems small.

But from a child's point of view, the wall is moving. Yesterday it was here, today it is there, and nobody told them the map had changed.

### What is actually happening underneath

Here is the plainly stated problem: children cannot tell the difference between a rule that has temporarily changed and a rule that doesn't really exist. Adults hold a whole mental model of exceptions — "we're in a hurry," "you're not feeling well," "it's a special occasion." A young child doesn't carry that model around. What they experience is the outcome. If the biscuit arrives after the fuss, that is not an exception. That is the truth about how biscuits work.

This is why inconsistency doesn't just make things messy — it actively teaches. Every time a boundary bends under pressure, the child learns something real from it, even if we never intended to teach it. They learn that persistence is the lever. They learn that the limit is a suggestion that can be negotiated with enough volume. The next time the limit appears, they have a reason to test it: because testing worked before. The behaviour repeats not because the child is difficult, but because the child is being a rather good student of the world you have shown them.

There is another layer here, and it matters just as much. As Pudney points out in *A Volcano in My Tummy* (1994), anger itself is not the problem — it is a perfectly ordinary feeling that rises up in all of us. What children need help with is what happens after the feeling arrives. The feeling is allowed. The hitting, the shouting, the flung toy — those are not.

This is the distinction that keeps a household steady: full room for the emotion, a firm wall around the behaviour.

Most of us drift into one of two mistakes. Some of us open the door so wide that the behaviour goes unchallenged — the child is screaming, so we give in, and the screaming quietly becomes the way to get things. Others of us try to shut the door on the feeling itself — "don't be angry," "stop crying," "that's nothing to be upset about" — and the child learns that their inner weather is unwelcome here.

Both approaches fail in the same way: they treat feeling and action as one thing, when they are two. A child can be furious that the park is over and still walk home holding your hand. That is the goal, and it is achievable — not overnight, and not perfectly, but steadily.

Here is what makes inconsistency so wearing. Every time the line moves, the child has to re-learn where it is. That is unsettling for them, and it is exhausting for you, because you end up negotiating every single time instead of simply holding a position. A rule that is clear and stable is, oddly, kinder than one that flexes. It isn't a wall built to trap the child; it's a wall they can lean on. Children push against boundaries partly to find out whether they will hold. A boundary that holds, every time, answers a question they were never quite able to ask out loud: *is this solid?* And a solid thing is restful.

rules that flex. When a child has to wonder whether a rule is real today, all their energy goes into testing instead of simply living inside a predictable shape.

### **One small step you can take today**

Pick one boundary. Not five, not the whole system — one. Choose the one that causes the most friction in your house right now: the tablet, bedtime, the snack before dinner, whatever it is. Then decide, out loud and in advance, what the rule actually is. Not a vague "less screen time," but a clear, checkable line: this much, at this time, and this is what happens when it's over.

The test of a good boundary is whether you could draw it on a piece of paper and a child could understand it. If it takes three sentences to explain the exception, it isn't clear enough yet. Narrow rules are easier to hold than broad ones, so start smaller than feels ambitious.

You are not building the whole house today; you are laying one brick and checking that it's level.

Then tell the child what the rule is, at a calm moment, before it is tested — not in the middle of the argument. "When the timer goes off, the tablet goes on the shelf. That's how it will be." Say it plainly, once, without a lecture. Children need to know where the wall is before they walk into it, and a rule announced in a calm voice lands differently than one that appears, suddenly, in the middle of a meltdown.

Here is the part that keeps it going: hold that one rule every time, and only that one. When you inevitably feel the urge to bend it — because you're tired, because there's a visitor, because it would buy you ten quiet minutes — recognise that moment as the whole test. You don't have to be perfect at every rule in your house. You just have to be steady at this one, this week. Once a boundary holds reliably, it stops being a daily battle, and *then* you can add a second. One wall, standing firm, teaches more than ten that wobble.

Expect the pushback to get worse before it gets better. When a rule that used to bend suddenly doesn't, the child will push harder — not because you've failed, but because they're confirming the change is real. This is normal, and it isn't evidence that boundaries don't work for your child. It's the sound of the new wall being tested.

### **Where people usually stumble**

The most common stumble is going too big, too fast. A parent reads about consistency, decides to overhaul everything on Monday, holds five firm boundaries for three days, exhausts themselves, and by Thursday the whole system collapses. Then comes the quiet, corrosive conclusion: *boundaries don't work with my child*. They do — but not five at once, and not perfectly, and not in three days. Sustainable change here is genuinely small: one rule, held well, is worth more than a grand plan that lasts a week.

The second stumble is the wobble under pressure — the exact moment we opened this chapter with. You hold the tablet rule all week, then a hard evening arrives and you hand it over to stop the crying. It happens. What matters is what you do next. Don't pretend it didn't happen, and don't spiral into guilt about it. Name it honestly and reset: "Last night I gave in because I was tired. That wasn't the rule. Tonight it's the rule again." Repairing quickly and returning to the line teaches your child something valuable — that a slip isn't a collapse, and that the wall is still there.

The third stumble is quieter and easy to miss: confusing consistency with coldness. Holding a boundary does not mean withholding warmth. A child can be furious that the

tablet is going on the shelf *and* be held, comforted, and told "I know you're angry, and it's still going on the shelf." The boundary is firm; your voice doesn't have to be. If you find yourself tightening not just the rule but your whole manner — becoming stiff or distant to "win" — soften the delivery without moving the line. Consistency lives in the rule, not in your tone.

As for how long this takes: honestly, longer than feels fair. A boundary that has been bending for months doesn't become solid in a day, and the testing phase can last weeks before it settles. Progress here looks less like a straight line and more like a slow, uneven flattening of the peaks. You're not trying to eliminate difficult moments — you're trying to make the ground under them steady. Notice the small shifts: a shorter protest, a rule held one more day this week than last. That is what change actually looks like.

### **A short closing summary**

A boundary is not a punishment and it is not a cage. It is a wall your child can lean on — clear, calm, and steady enough that they don't have to keep checking whether it's still there. Give the feeling all the room it needs; keep the wall firm around the behaviour. Choose one boundary, make it small and checkable, announce it in calm, and hold it through the pushback. When you wobble — and you will — repair quickly and return to the line. One rule, held reliably, is a real beginning.

#### **PRACTICE**

\*\*\*

1. Choose one boundary that causes the most friction right now. Write it as a single clear line you could explain to your child in one sentence.
2. Tell your child the rule at a calm moment — not mid-argument — and say it once, plainly.
3. Hold that one rule every time this week, even when it's inconvenient. When you slip, name it honestly and reset the next day.
4. Don't add a second boundary until the first one holds. Notice small signs of progress: shorter protests, more days held than not.

## **Preventive Routines and Environmental Arrangement**

Ever noticed that the hardest moments with your child rarely come out of nowhere? They tend to cluster around the same predictable points in the day — the rush before school, the handover at bedtime, the moment a screen goes off. If you think back over the last week, can you see the pattern? The outbursts probably didn't fall evenly across the hours. They landed somewhere specific, again and again.

That's the first thing worth knowing about prevention: it doesn't start with your child's behaviour. It starts with the shape of the day around them. A child who is hungry, tired, rushed, or caught off guard is working with a much shorter fuse, and no amount of good parenting in that moment can fully make up for it. This chapter is about the unglamorous work — sleep, meals, transitions, screens, and the physical arrangement of your home — that makes the difficult moments less likely before they begin.

The shapes this takes in ordinary life are familiar. Perhaps mornings are the flashpoint, when everyone is trying to get out the door and your child seems to move in slow motion. Perhaps it's the end of the day, when tiredness turns small frustrations into big reactions. Perhaps it's the transition between activities — leaving the park, turning off the television, coming to the table — where your child seems to fall apart at the exact moment you need them to switch gears. Or perhaps it's mealtimes, where food and sitting still become battlegrounds. Different times, different triggers, but the same underlying story.

### **What's actually happening underneath**

Here's the plain version: self-regulation is expensive. Staying calm, waiting, switching tasks, and holding back an impulse all draw on the same mental energy — and that energy is in limited supply, especially in children whose brains are still building the systems that manage it. When a child is well rested, fed, and not being hurried, there's enough in the tank to cope with small disappointments. When the tank is low, the smallest bump can empty it completely.

This is why the same request — "time to turn off the tablet" — can go smoothly one evening and trigger a meltdown the next. The request didn't change. The child's reserves did. This is also why trying to teach a lesson in the middle of a meltdown rarely works: you're asking a child to reason at the exact moment their reasoning capacity is offline.

And this is where the repetition comes from. If the routine is consistently rushed, if bedtime drifts later and later, if meals are skipped or grazed, if transitions always arrive as

a surprise, then the conditions for outbursts are being quietly rebuilt every single day. The behaviour repeats because the setup repeats. That's discouraging to hear, but it's also the good news — a setup can be changed in ways a child's temperament cannot be forced to change.

Edward M. Hallowell, in *Answers to Distraction* (1994), makes a point that applies well beyond attention difficulties: structure and predictability in the environment do real work for a child whose internal regulation is still developing. The external order — knowing what comes next, having a rhythm to lean on — carries some of the load the child can't yet carry alone. You are not being rigid by building routine. You are lending the child your steadier system until theirs grows in.

Children, in particular, feel the difference between a day that happens *to* them and a day they can see coming. A transition that arrives without warning is a small ambush; the same transition, signalled a few minutes ahead, is simply the next thing. Nothing about the child's temperament has changed — only how much warning their nervous system got. That's why the practical work of this chapter focuses less on persuading your child to behave and more on arranging the day so that fewer demands land on an empty tank.

### **One small step you can take today**

Pick the one transition that goes wrong most often in your house. Not all of them — one. Suppose it's the moment the television or tablet goes off before dinner. Today, before it happens, try adding a warning: tell your child it will be turned off when the current episode ends, or in a few minutes, and say it calmly and once. Then follow through at the moment you named. That's the whole step. You are not negotiating, explaining, or softening the rule — you are simply removing the ambush.

Why this one? Because it costs you almost nothing and it tests the idea directly. If the warning helps even a little — a shorter protest, a faster recovery — you've learned something real about your child's needs that no book could tell you. If it changes nothing, you've still learned something: this particular transition may need a different kind of support, and you can look at what comes before it. Either way you're no longer guessing.

Keeping it going is where most of the value sits. A warning given once is a one-off; a warning given every time becomes a rhythm your child can predict, and predictability is the thing doing the work. So attach it to something you already do: the warning comes when you start clearing the table, or when the timer you set goes off. You're building a small ritual, and rituals survive on autopilot far better than on willpower. Expect to forget it some days. The response to forgetting is not guilt — it's just doing it again tomorrow.

## **Where people usually stumble**

The first stumble is trying to fix everything in the same week. Sleep, meals, screens, morning routine, tidy-up time — all at once. It feels efficient and it almost never holds, because each change needs your attention to bed in, and you have only so much attention to give. The families who make prevention stick tend to pick one area, run it for a couple of weeks until it feels ordinary, and only then look at the next. Slow is not a compromise here; slow is the method.

The second stumble is expecting the routine to work immediately. You add the warning, and the first evening still ends in tears. It's easy to conclude the whole idea is useless. But a child who has learned — through months or years — that transitions are sudden is not going to unlearn that on the first try. What you're watching for in the early days is not the absence of upset but a shift in the pattern: a protest that ends sooner, a child who comes back to themselves a little faster. Those small movements are the signal, and they're easy to miss if you're only looking for a clean win.

The third stumble is the routine collapsing on hard days — a late night, a rushed morning, a disrupted weekend — and then being abandoned rather than resumed. This is worth saying plainly: the routine will break sometimes. What matters is that you pick it back up the next day without treating the break as proof of failure. A routine that survives at roughly four days out of five is doing its job. You are not aiming for a household that runs like clockwork, because no household does.

As for how long it takes: honestly, longer than feels satisfying. Small environmental changes tend to show their first faint effects within a week or two, and start to feel like part of normal life after several weeks of rough consistency. That's a realistic frame, not a promise. Some children settle into a new rhythm quickly; others need far longer, particularly if sleep or hunger has been running low for a while. Judge progress by the direction of travel over a month, not by any single afternoon.

## **A short closing summary**

Prevention is quiet work. It doesn't look like parenting in the dramatic sense — no stern conversations, no clever consequences — and that's exactly why it's easy to skip. But the shape of a child's day does more to set their fuse length than almost anything you can say in the heat of a moment. Sleep, food, warning before transitions, a predictable rhythm, and a home arranged so that the child isn't constantly fighting the environment: none of these are guarantees, and none of them will make hard moments disappear. What they do is

lower the number of demands landing on an empty tank, and that changes the arithmetic of the whole day.

You don't need to overhaul anything. One transition, one earlier bedtime, one warning given consistently — that's the scale that works. The rest can wait until the first change has stopped feeling like effort.

#### **PRACTICE**

1. Choose the single transition that most often goes badly, and name out loud to yourself when it happens each day.
2. Give a calm, one-time warning a few minutes before it arrives, and follow through at the moment you named.
3. Track only the recovery — how quickly your child comes back to themselves — not whether they got upset.
4. If a day falls apart, resume the routine the next day without comment; review the pattern after a few weeks, not a few days.

## Making Good Behavior Visible

Think about the last time your child did something you liked. Not something spectacular — just something ordinary that made your day a little easier. They put their shoes away without being asked. They waited while you finished a phone call. They walked away from a squabble with their sibling instead of escalating it.

Now ask yourself honestly: did you say anything about it?

Most of us, if we are honest, have to admit we didn't. The moment passed quietly, we felt a flicker of relief, and we moved straight on to the next thing. Meanwhile, the moment your child shouted, threw something, or refused to get in the car — that moment got a full response. Sometimes a lecture, sometimes a raised voice, sometimes twenty minutes of negotiation.

This chapter is about that imbalance, and what happens when you start to correct it.

### The Day's Tally

Here is the situation in its most familiar shape. Over the course of a day, a child produces a long stream of behaviour. Some of it is helpful, cooperative, gentle, patient. Some of it is difficult — the shouting, the hitting, the flung toy, the flat refusal. And here is the uncomfortable truth: the difficult behaviour is louder. It demands attention. It cannot be ignored the way good behaviour can.

So without anyone deciding to do it, a pattern builds up. Your child learns, from the raw experience of hundreds of small interactions, which behaviour pulls you into their world. The answer, usually, is the behaviour you find hardest to handle. Getting dressed quietly gets a glance. Slamming a door gets a conversation.

In daily life this takes very ordinary forms. Perhaps the morning routine only runs smoothly when you are standing right there prompting every step, because the calm version got no comment and the stalling got a lot. Perhaps your child only seems to seek you out when something has gone wrong, because that is when the two of you actually engage. Perhaps the sibling who never causes trouble gets quietly taken for granted while the one who kicks up a fuss gets the energy.

None of this is a failure of love. It is a failure of attention distribution, and it is almost universal.

## What Is Actually Happening Underneath

Behaviour that gets a response tends to continue. Behaviour that gets no response tends to fade. This is not a trick or a technique — it is simply how children (and let's be fair, adults) work out which actions are worth repeating. A child is constantly, unconsciously asking a question: *when I do this, does anything happen?* The answer teaches them what matters.

When the answer to difficult behaviour is a strong response — even a negative one — the child receives a clear signal that this behaviour is important. And here is the part many parents find hardest to accept: the response does not feel negative to the child in the way it feels negative to you. They do not experience it as *this was a bad idea*. They experience it as *this got through*. It got contact, it got energy, it got you. From inside a child's world, that can feel like something worth repeating, even if the words were sharp.

This is why the pattern repeats. It is not that your child has decided to be difficult. It is that the difficult behaviour is the one reliably connected to you, and the cooperative behaviour is not connected to anything at all.

Jane Nelsen made a version of this point in "Positive Discipline for Single Parents" (1994): children are always making decisions about themselves and about how to get belonging and significance, and those decisions are shaped by what actually works in their environment. If difficult behaviour is the reliable route to attention, the child draws the obvious conclusion — not because they are manipulative, but because they are learning.

## Why the Quiet Behaviour Never Gets Seen

There is a second half of the mechanism, and it is easy to miss. Good behaviour is not ignored out of carelessness alone. It is ignored because it does not need managing. When your child is playing peacefully, or dressing themselves, or speaking calmly, nothing is required of you. And a parent who is tired and stretched will naturally spend their scarce energy on the problems. It feels like good prioritisation.

But your child experiences that quiet hour differently. To you it was calm. To them it was a stretch of time in which they did exactly what was expected and nothing came back. Do that often enough and the child learns that cooperation is invisible. Some children respond to that by turning up the volume, because being punished is at least being noticed. Others simply stop bothering to try, because trying appears to make no difference either way.

The cycle is not broken by lecturing the child about good behaviour or by explaining it to them. It is broken by making cooperation visible — noticing it, naming it, and letting the

child feel that it reached you. That is the whole idea behind making good behaviour visible, and the rest of this chapter is about what it looks like in practice.

## **One Small Step You Can Take Today**

You do not need to overhaul how you talk to your child. You do not need a chart, a reward system, or a new vocabulary. You need one deliberate act of noticing, done once today, and then again tomorrow.

Here is what it looks like. Pick one ordinary thing your child does that you would normally let pass without comment. Not the biggest, most impressive thing — something small and unremarkable. They come to the table when called. They hand you something you dropped. They stop themselves mid-shout and say it more calmly. Now say one short sentence about it. Not "good boy" or "well done" — those are so general they land like background noise. Name the specific thing: "You came when I called the first time. That made the morning easier." Then stop. Don't add a lesson, don't tack on a reminder about the thing they did wrong yesterday, don't follow it with "why can't you always do that." Say it and let it sit.

The reason the sentence needs to be specific is that a child has to be able to connect your words to something they actually did. "You're being good" tells them nothing they can repeat. "You put your plate in the sink without being asked" tells them exactly what earned the warm look from you. That is the whole mechanism — you are handing them a clear picture of what works, so they can find their way back to it.

Keeping it going is the harder half, and it needs a plan that survives real life. The most reliable approach is to attach the noticing to something that already happens every day, so it does not depend on you remembering. The walk to school. The moment after dinner. Bedtime. Pick one anchor point and let that be when you look for one thing to name out loud. One. You are not trying to flood your child with praise, and you are not trying to become the kind of parent who narrates constant approval — that gets hollow fast and children see through it. You are trying to break a pattern in which cooperation is invisible and only trouble gets a response.

Expect this to feel strange at first. It will feel artificial, and your child may look at you oddly, especially if they are older and not used to it. Say it anyway, briefly, and carry on with your day. The strangeness fades in a week or two, and what replaces it is a quieter thing — a child who starts to check whether their ordinary effort registers.

## **Where People Usually Stumble**

The most common stumble is timing. Parents often save their noticing for the end of the day, or for a big sit-down conversation about how things have been going. That comes too late and asks too much. A child lives in the moment, and a comment about this morning's good behaviour delivered at bedtime lands as a hazy summary rather than a clear signal. Catch it while it is happening, or within a minute of it happening. The closer the words sit to the behaviour, the more the child can connect them.

The second stumble is tone. When we are tired and frustrated, even a positive sentence comes out flat, or with a slight edge of sarcasm, or with a question mark that turns it into a test. Suppose that your child finally clears their toys away and you say, "Oh, so you *can* do it." That is not noticing. That is a criticism wearing the clothes of noticing, and children hear the difference immediately. The fix is to slow down and say the plain thing, warmly, without the hidden message. If you catch yourself adding a jab, drop it and start again with the bare sentence.

The third stumble is the relapse, and it is not really a stumble at all — it is normal. You will have a bad week. Something will go wrong at work, someone will get ill, the mornings will fall apart, and you will revert to only responding to the difficult behaviour. Do not treat that as proof that this does not work. Treat it as a signal to start again tomorrow, with the same one small step. The patterns you are trying to shift have built up over years of daily interaction; they do not reverse in a straight line, and no one manages it without slipping.

As for how long it takes — honestly, longer than you want. You may notice a small difference in how your child responds within a couple of weeks, and you may not. Some children warm to it quickly because they were starved of it. Others, especially those who have learned that only trouble gets through, take much longer to trust that the quiet effort is really being seen. Think in terms of months of ordinary, unglamorous consistency, not days. The change you are looking for is not a dramatic transformation but a slow shift in which your child begins to expect that cooperation will register.

## **In Short**

Difficult behaviour is loud and demands a response; good behaviour is quiet and is easy to let pass. That imbalance teaches a child, over hundreds of small moments, that trouble is the reliable way to reach you. The correction is not a lecture or a reward chart — it is making cooperation visible, naming it specifically, and doing it close to the moment it happens. Start with one act of noticing today, anchor it to a part of the day that already exists, keep the sentence plain and warm, and expect to fall back into old habits sometimes. Begin again the next day.

---

## **PRACTICE**

\*\*

1. Choose one daily anchor — the walk to school, after dinner, or bedtime — and at that point name one specific ordinary thing your child did that helped.
2. Keep the sentence short and plain, with no reminder or criticism attached: say what they did, and stop.
3. When you miss a day or slip back into only noticing trouble, start again the next day with the same single step.
4. Give it weeks, not days, and watch for small shifts rather than dramatic change.

## What to Do in the Moment of Hitting, Shouting, and Throwing Objects?

Ask yourself this: what happens in your house in the moment your child raises a hand to hit, screams in your face, or sends a toy flying across the room? Not the aftermath — not the apology, the cleanup, or the quiet guilt you feel once everyone has calmed down. Just that one moment. The split second when it is happening, and you are the adult in the room, and everything depends on what you do next.

That moment can take a few different shapes, and you probably recognize more than one of them. Maybe it is the toddler who slams both palms into your chest because you said no to a second biscuit. Maybe it is the school-age child who shouts "I hate you" with a face you barely recognize and storms off, slamming a door hard enough to rattle the pictures. Maybe it is the thrown shoe, the swept arm that clears the table, the younger child who bites when a sibling takes their place on the sofa. Sometimes it is quieter than that — the child who will not move, will not answer, will not follow the simplest instruction, dug in like a stone. The behaviour looks different in each case, but the moment you are standing in feels the same: sudden, loud, and completely out of your control.

What makes this moment so hard is that it arrives without warning. You can be having a perfectly ordinary afternoon and then, in the space of a breath, you are in the middle of a shoving match with a small person you love more than anything in the world. Your body reacts before your mind catches up — the racing heart, the heat in your face, the tightening in your chest that tells you to raise your voice, grab an arm, win this thing. That reaction is not a sign that you are a bad parent. It is your own nervous system doing exactly what it was built to do when a situation feels threatening and urgent. The trouble is that the threat is your own child, and the tools your body reaches for were designed for something else entirely.

Now look at what is actually going on underneath the behaviour, because this is where the moment starts to make a different kind of sense. When a child hits, shouts, or throws something, what you are usually watching is not a plan, not a decision, and not a warning about who they will become. You are watching a young person whose thinking system has gone offline and whose feeling system has taken the wheel. The part of the brain that handles reasoning, planning, and remembering the rules is the slowest to develop and the first to shut down under stress. The part that handles alarm and big emotion is fully online from very early in life. So when a child floods with anger, frustration, or shame, their ability to stop themselves, to find words, or even to hear your words drops sharply. In that

state, hitting or throwing is not really a choice they are making. It is what comes out when nothing slower is available.

This is also why the same child can seem so different from one hour to the next. At breakfast they can calmly explain why a rule is unfair; by the evening they are on the floor screaming because the wrong cup was used. Nothing has changed about their character in that time. What has changed is how much pressure their still-developing system is under — how tired they are, how hungry, how much has already been asked of them that day, how many small frustrations have piled up without anywhere to go. Think of it like a cup being filled drop by drop. Each small demand, each "wait," each "no," each transition from one thing to another adds a little. When the cup is close to the top, it does not take a big event to make it spill. The wrong cup is not really the reason the child fell apart. It is simply the drop that tipped it.

And here is the part worth sitting with: the behaviour repeats because it works, in a way. Not because the child is calculating, but because the body remembers. If hitting or shouting reliably ends a demand, clears a room, or brings a big adult reaction, the brain quietly files it away as an effective tool for a situation that feels unbearable. If the opposite happens — if the moment is met with steady calm, safety, and clear limits — the child's system slowly learns something else: that these huge feelings can be survived, that the adult is not going to fall apart either, and that there are other ways to get through. This learning does not happen in one dramatic conversation. It happens in the moment, over and over, in small installments.

One more thing deserves naming before anything else, though the rest of the chapter will build on it. Underneath almost every one of these moments is a need the child cannot yet express — for safety, for connection, for some sense of control, or simply for the feeling to be seen. A child who feels powerless may grab at control by refusing everything. A child who feels unseen may take the fastest route to being noticed. None of this makes the hitting acceptable, and none of it means you should look the other way. It means the behaviour is a message, and the message is usually harder to read in the middle of the noise. Your job in the moment is not to decode the whole message. It is to keep everyone safe, keep yourself steady, and respond in a way short and clear enough to get through. What fills the cup and how to empty it more gently is work for later. The moment itself asks something simpler of you.

That something simpler begins with safety, and safety begins with you rather than with the behaviour. Before you address what your child is doing, you have to make sure nobody is going to get hurt — and that includes you. If a hand is raised, if a shoe is in the air, if a

small body is heading toward a sibling or a window, the first move is physical, not verbal. Step between them. Move the object out of reach. Guide the child gently away from the person they are going toward, or pick up a smaller child and hold them somewhere safe until the storm passes. Notice how little talking that involves. In the middle of the flood, your words are mostly noise; your hands and your body are what actually change the situation. Keep your movements slow and your voice low, even if you have to say the same short sentence several times. "I won't let you hit. I'm going to keep everyone safe." That is enough. It is a boundary and a promise at the same time, and it does not require your child to agree with it.

The second thing to protect is you. It is easy to think of safety as being about the child, but plenty of parents get hurt in these moments — a kick to the shin, a scratch across the face, a phone thrown at a head — and then carry a different kind of upset into the rest of the day. If your child is hitting you, it is fine to step back, to put a cushion or a door between you, to leave the room for a minute while keeping an eye on what is happening. That is not abandoning your child. It is refusing to turn the moment into a fight between two people, which is what it becomes the instant you start trying to physically win. The message you want to send is "I am not going anywhere, and I am not going to be hit." You can send both at once from across the room.

Once everyone is safe, the next step is to say almost nothing and mean it completely. This is the part that feels wrong to most of us. We are so used to explaining, reasoning, reminding, and — let us be honest — lecturing, that silence in the middle of a meltdown feels like giving up. But a child whose feeling system is in charge cannot process a five-sentence explanation any better than they could solve a maths problem at that moment. What they can hear is one short, clear limit. "I see you're furious. Hitting is not okay. I'm here." Say it once, calmly, and then stop. If you repeat it, repeat it in the same flat, steady tone, not louder. The point is not to convince your child in that second. The point is to be a wall they can bounce off without the wall moving. Over time, that steadiness is what teaches them that big feelings have edges.

What you are doing here is giving the feeling a name without giving the behaviour permission. Those are two separate things, and the moment works best when you keep them separate. "You're really angry that we had to leave the park" names the feeling and shows your child you understood what happened. "And I won't let you throw things at me" holds the line on the behaviour. When children hear both, something important lands: your love for them is not in question, and neither is the rule. They do not have to choose between being understood and being corrected. That combination is rarer than it should be, and it is the one most likely to actually get through.

Then comes the waiting, which is the hardest instruction in this whole book. After the limit is set and safety is handled, your job is to be present and quiet. Not to coax, not to bargain, not to ask "are you calm now?" every thirty seconds. Sit nearby if your child will let you. If they won't, stay within sight and let them know you're there. The storm will end on its own — it always does, because it is a wave and not a permanent state. Your calm presence during that wave is doing quiet work you cannot see: it is showing your child that the feeling can be survived, that you are not frightened of it, and that they do not have to manage it alone. This is not passive. It is one of the most active things you will ever do as a parent.

One small step you can take today is to write down, in advance, the two or three sentences you will use in the moment, and practice saying them out loud when nothing is happening. It sounds almost too simple, but the reason it matters is that in the middle of the noise you will not be able to invent good words. You will reach for whatever is already in your mouth, and if that is a rehearsed, short, steady line, that is what comes out. Choose something you can say in one breath, something that states the limit and offers your presence. Keep it the same every time, because repetition is what makes it land. Suppose that your line is "I won't let you hit. I'm staying right here." You say it when your child swings, you say it when they throw, you say it while you are stepping back and while you are sitting on the floor nearby. It becomes a kind of anchor — for them and for you.

Keeping this going is less about willpower and more about making it easy to repeat. Put the line somewhere you will see it — on your phone, on the fridge, in your head. Tell another adult in the house what it is, so you both use the same words and your child gets one message instead of two. Notice afterwards, when everything has settled, whether you actually managed to say it in the moment or whether you fell back into explaining and shouting. Do not grade yourself harshly; just notice. The goal is not a perfect performance. It is a slightly better one next time, and a slightly better one after that. Small, repeatable, and boring is exactly what this needs to be, because boring is what a child's nervous system can actually learn from.

Now for where people usually stumble, because the gap between knowing this and doing it is where almost every parent lives. The first stumble is being pulled into the argument. Your child shouts something outrageous — "you never let me do anything" — and before you know it you are defending yourself, listing the times you did let them, and the whole thing has become a debate with a person who is not currently capable of debating. The way out is to notice the pull and let it pass. You do not have to answer every accusation in the moment. "We can talk about that when you're calm" is a complete response, and then you go quiet again. The second stumble is the urge to teach a lesson right then. It feels

irresponsible to let the moment pass without a moral, so we launch into the explanation of why hitting is wrong and how it makes other people feel. It is a good lesson delivered at the worst possible time, and it lands as noise. Save it. There will be a calm moment later, and in that calm moment the lesson will actually go in — but that is work for another part of the day, not this one.

The third stumble is the hardest to admit: sometimes we match the energy. Our child shouts and we shout back, they slam a door and we slam it harder, and for a few seconds it feels like being on equal footing again. It never helps, and afterwards it usually leaves us feeling worse than the child. If you catch yourself doing it, the repair is simple and you can do it out loud: "I raised my voice. I'm sorry. Let's start again." That sentence does two things at once — it takes responsibility and it models the very thing you are trying to teach. You do not have to be the calm parent every single time. You have to be the parent who comes back.

The fourth stumble is expecting the moment to get easier straight away. It won't, and that is not a sign that you are doing it wrong. Behaviour that has been working for a child does not disappear the first time it meets a steady wall. It often gets a little louder first, as if the child is testing whether this new response is real or just a phase you are going through. If you hold the line calmly through that testing, the intensity usually starts to ease. If you give in at the peak because it is unbearable, the child learns that the peak is the point at which the wall moves. So the realistic picture is this: expect the behaviour to continue for a while, expect some days to go badly, and measure change in weeks and months rather than in single incidents. What you are building is not a fix but a pattern, and patterns take time to set.

As for how long, nobody can give you a number, and anyone who does is guessing. What can be said honestly is that the work is cumulative. The first few times you stay calm and set the short limit, it may feel like nothing is happening at all. Over many repetitions, the child's system starts to expect a different response from you, and that expectation slowly changes how the moment unfolds. Some children shift quickly; others need a long, slow stretch of the same steady response before anything visible changes. The thing to watch is not whether the hitting stopped this week, but whether the moments are getting shorter, whether recovery is getting faster, whether your child is beginning to use words a little sooner. Those are the real signs, and they are quiet ones.

### **A short summary**

In the moment of hitting, shouting, or throwing, your job is narrow and clear: keep everyone safe, keep yourself steady, say one short limit, and stay present while the storm

passes. Safety comes first and is physical. The limit is spoken once, calmly, and does not need to be argued. The feeling gets named; the behaviour does not get permission. The waiting is not passive — it is the work. You will stumble, you will sometimes match the energy, and the repair afterwards matters more than the stumble. Change comes in small installments over weeks and months, not in a single breakthrough, and the steadiness you practice now is what your child's nervous system is quietly learning from.

#### **PRACTICE**

1. Write down your one-breath line — a short sentence that states the limit and offers your presence — and keep it where you will see it.
2. Practice saying it out loud three times today, calmly, so it is already in your mouth when you need it.
3. In the next hard moment, handle safety first with your body, then say the line once and go quiet.
4. Afterwards, when everyone is calm, notice what you managed — and if you matched the energy, say the repair sentence out loud.

## Conflict Management and Repair

### The Morning After

Think about the last time your child had a meltdown. Not the meltdown itself — you probably remember that part in vivid detail. Think about the hour after it ended. What did you do?

Some parents retreat. The storm passes, the child is quiet, and there's a strange, exhausted silence in the house. You're so relieved it's over that you don't want to touch it. You let the child go back to playing, you make lunch, and you move on with the day as if nothing happened. Maybe you tell yourself it's better not to dwell on it.

Other parents press in. Still wound up from the fight, they follow the child and demand accountability: "Do you understand what you did? Tell me why you did that. Say sorry." Or they deliver a lecture, standing in the doorway while the child stares at the floor. Or they go the opposite way entirely — the guilt floods in, and now they're the one apologizing, over and over, for losing their temper, for saying too much, for being a bad parent that morning.

And some parents do something quieter but just as common: they harden a little. Not forever, but for the rest of the day. The child asks for a snack and gets a clipped answer. The bedtime story is skipped. There's a small, invisible wall where a connection used to be.

All of these are attempts to deal with the aftermath. None of them is unusual. And all of them, in their own way, leave a piece of the work undone.

### What an explosion leaves behind

Here's the thing that's easy to miss in the tired minutes after a tantrum: the child is not the same afterward either. A meltdown is not a performance the child puts on for your benefit and then shrugs off. Whether it was a seven-minute full-body storm or a short, sharp burst of shouting, it took something out of them. Their nervous system was overwhelmed, their body flooded, and now they're coming down the other side. Some children will be clingy. Some will be extra silly and testing. Some will seem completely fine and then fall apart over a glass of water an hour later.

Underneath that, children are carrying a question they often can't put into words. The question is: was that too much? Am I still okay with you?

This is not a question about consequences. It's a question about belonging. A child who has just hit a sibling, thrown a toy across the room, or screamed that they hate you has, for those minutes, been their worst self — and they know it, even if they'd never admit it. The adult's job after the explosion is not to make them feel worse about that. It's to answer the question underneath: the relationship survived. You're still mine. We can pick this up together.

When that question goes unanswered — when the parent withdraws, or lectures for twenty minutes, or leaves a coolness hanging in the air all afternoon — the child is left alone with it. And the answer they tend to invent on their own is usually worse than the truth.

### **Why it keeps happening**

Suppose that after every storm, a child quietly concludes that the connection is fragile — that one bad morning is enough to make a parent back away. That belief doesn't stay in the background. It comes out the next time conflict starts, because a child who isn't sure the relationship can survive a fight has more reason to fight hard, or to fight dirty, or to test the adult again and again.

So the aftermath and the behavior feed each other. The explosions that don't get repaired tend to make the next explosion more likely, because there's more fear in the room and less trust. This is why the minutes and hours after a conflict are worth more attention than they usually get. They're not the cleanup — they're part of the mechanism.

None of this means you need to be perfect after every eruption. You won't be. There will be afternoons when you're too tired, or too wounded yourself, to do the quiet work. What matters is that the repair happens often enough — and, more importantly, that it happens at all, in some small form, rather than being skipped in favor of silence or punishment.

There's also a reason the repair doesn't feel urgent in the moment. Your own nervous system just went through the wringer too. After a blow-up, adults tend to feel a mix of anger, shame, and sheer depletion, and not one of those feelings makes you want to sit down and talk. That's exactly why the repair has to be deliberate and simple, not a long, emotional summit meeting you'll never manage at the end of a hard morning. A few honest minutes are enough to start.

### **The smallest repair, done today**

If you take one thing from this chapter and actually do it, make it this: after the next blow-up, before anything else — before consequences, before explanations, before you've even

decided how you feel about what happened — go back to your child and say one plain sentence that reconnects you.

It doesn't need to be eloquent. Something like: "That was a hard morning. I'm still here." Or: "We had a rough time. Want to sit with me for a minute?" Or, if touch is welcome in your house, just sit down nearby and put a hand on their back. The words matter less than the fact that you came back. You are answering the question the child can't ask: the relationship survived.

Suppose your child screamed at you, slammed a door, and is now lying on their bed in a heap. You could stand in the doorway and announce the consequence for the door. That can wait ten minutes. Instead, you sit on the edge of the bed and say, "That got really big. I'm not going anywhere." Then you're quiet. You don't need them to respond. You don't need them to cry or hug you or apologize. You're just closing the gap that the explosion opened.

How do you keep it going? Attach it to something you already do. If you always make a snack after a storm, make that the repair moment — sit down with them while they eat, even for two minutes, and keep it warm and uncomplicated. Or use the bedtime that follows a difficult day: a few minutes in the dark, no lecture, just "today was hard and we're okay." The point is not to schedule a big conversation. The point is to build a small, repeatable habit of returning, so that coming back together after conflict becomes ordinary in your house rather than a special event you have to work up to.

One caution: don't turn the repair into a backdoor lesson. If your "I'm still here" comes with "...and that's why we don't throw things," the child hears the lecture and the connection gets buried under it. You'll have your chance to talk about what happened — that's the next section — but the first move is just presence. Keep it short enough that you could say it and then walk away without it feeling unfinished.

### **Where it goes sideways**

The most common stumble is timing. Some parents try to do the repair while the child is still mid-storm, and it backfires — the child isn't available for connection yet, and the attempt turns into another round of conflict. Wait until the storm has actually passed. You'll know it has when the child's body softens: the screaming stops, the rigid shoulders drop, they start drifting toward a toy or a snack. That's your window. Not before.

The second stumble is doing the repair but secretly wanting something from it. You say the warm sentence, and then you wait — for an apology, for a hug, for a sign that the child gets it. When none comes, you feel slighted and the warmth curdles. This is worth noticing

in yourself. The repair is not a transaction. You are not purchasing remorse. You're rebuilding the ground the child stands on, and that ground needs to be rebuilt whether or not they thank you for it.

The third stumble is the one that catches almost everyone: you skip it because you're still angry. That's real, and it isn't a character flaw. If you've just been screamed at or hit or had a door slammed in your face, your own nervous system is raw, and reaching toward the child feels like the last thing you want to do. When that happens, don't force a warm moment you don't mean — children can smell a performed softness and it unsettles them more than silence does. Instead, do the minimum honest version: "I'm still upset about what happened. I need a few minutes. I'm not going anywhere." That's a repair too. It says the connection holds even while the feelings are still hot.

And what about when you were the one who lost it? Suppose you shouted, or said something you regret. The same move applies, in the other direction. A short, plain apology — "I yelled at you this morning and that wasn't okay. I'm sorry" — does more than most parents expect. Not a long confession, not a self-punishing speech that makes the child feel they have to comfort you, just the honest sentence and then the return to normal. You're modeling exactly the thing you hope to teach.

As for how long change takes: longer than feels fair, and unevenly. You may repair beautifully for two weeks and then have an afternoon where you do everything wrong. Some children soften quickly once repairs become reliable; others hold back for a while, testing whether the warmth is real before they trust it. Expect the behavior itself to shift slowly, in small increments, with relapses that don't mean you've failed. What you're building is not a fix but a pattern — and patterns are made of many ordinary repetitions, most of which nobody notices.

### **In short**

After a blow-up, the child is carrying a quiet question: did that break us? The answer they need is a small, concrete return — a sentence, a few minutes nearby, a snack shared in silence. Do it before consequences and before explanations, keep it free of lessons, and don't expect anything back. When you're too raw to do it warmly, say so plainly instead of skipping it. Repair doesn't need to be perfect or frequent enough to be constant. It just needs to happen often enough that the child learns, in their bones, that conflict is something you come back from.

### **PRACTICE**

1. After your child's next meltdown, wait until their body softens, then go to them and say one plain sentence that reconnects you — no lecture attached.
2. Keep it to a few minutes. Sit nearby, offer a snack, or simply stay — and let them respond however they respond.
3. If you're still too angry to mean it, say the honest version instead: "I'm still upset. I need a few minutes. I'm not going anywhere."
4. If you were the one who lost your temper, offer one short, plain apology — then return to normal.

## How the Parent Copes with Their Own Anger

Have you ever heard yourself snap at your child in a tone you didn't plan on using, and the moment the words leave your mouth you think, *who is this person?* Or felt your jaw tighten the instant a certain whine starts up, before you've even had a chance to decide how to respond? Or noticed that the one time of day you promised yourself you'd stay patient is the exact time of day you lose it?

It's worth pausing on those questions, because most parenting advice quietly skips over the person doing the parenting. It talks about the child's anger, the child's triggers, the child's needs. And all of that matters. But you are in the room too, and your own anger is not a side issue. It's part of the scene. On some days, honestly, it's the loudest part of the scene.

This isn't a small thing, and it isn't a shameful thing. It's just true, and it's worth looking at directly.

### The shapes it takes

Parental anger rarely shows up as one clear thing. It's a shape-shifter.

Sometimes it arrives as the sharp voice — the one that comes out faster and louder than you intended, usually over something small. A coat on the floor. A cup knocked over. The tenth "in a minute" in a row. The words are ordinary; the tone is not. And you hear it land, and you know that tone didn't come from the coat on the floor.

Sometimes it's the quiet kind: the short answers, the sigh you don't quite hide, the door closed a little too firmly. Children read this just as clearly as shouting, sometimes more so, because it has no words to explain it away. A house can be perfectly calm and still feel like walking on eggshells.

Sometimes it's the delayed kind, the anger that has nothing to do with the child at all — a hard day, a message you didn't want to receive, a night of broken sleep — and then a normal, ordinary child-behavior lands on top of it, and the whole thing tips over. The child gets the full weight of something that wasn't entirely about them.

And sometimes it's the anger at yourself, which is its own difficult thing: the guilt after the snap, the replaying of it in your head at night, the promise that tomorrow will be different, made and broken so many times you stop believing yourself.

None of these makes you a bad parent. They make you a person raising a small person, often while tired, often while stretched, often without a break.

### **What's actually going on underneath**

Here's the plain truth: anger is not the enemy here. Anger is information. It shows up when something matters to you and seems to be under threat — your patience, your sense of competence, your need for a moment of quiet, your hope that the day would go a certain way. The feeling is real, and it's pointing at something real.

But the feeling and the behavior are two different things. That gap — the space between noticing anger and acting on it — is the whole game. And that space gets narrower when you're exhausted, hungry, rushed, or already carrying something heavy from earlier in the day. Which means your angry reactions often say less about your child and more about the state you were in when the moment arrived.

There's a reason it repeats, and it usually isn't that you're failing. It's that the same conditions keep lining up: the same trigger, the same time of day, the same unmet need in you, the same lack of any pause in between. If nothing in that chain changes, the same ending keeps arriving. The pattern isn't a character flaw; it's an unbroken loop.

Once you see it as a loop, it becomes something you can actually work with. The goal isn't to never feel anger — that isn't a real goal for a human being. The goal is to widen the gap just enough to choose your next move, instead of having it chosen for you.

That widening starts with knowing your own triggers, and that's where we'll go next.

That's where we'll go next — but slowly, and with something you can actually do rather than a plan you'll abandon by Thursday.

### **One small step you can take today**

Start with a single question, asked at a calm moment: *when in the day does my anger most reliably show up?* Not the general answer ("when they don't listen") — the specific one. The last twenty minutes before dinner. The school run. The moment you finally sit down. Bath time. Bedtime. Whatever it is for you, it's usually the same window, most days.

Then, knowing that window, do one thing differently. Not a whole new approach to parenting — one thing. Give yourself a pause *before* the window opens rather than trying to find one inside it. Suppose the hard stretch is the hour before dinner: you might put a glass of water within reach, decide in advance that the coat on the floor will be dealt with

later, or simply name the hour to yourself — *this is the hard part, this is expected* — so that when it arrives you're not ambushed by it.

The pause itself can be plain and small. A slow breath out. Stepping into the next room for ten seconds. Saying, honestly and without drama, "I need a minute" — and then taking one. It doesn't have to be graceful. It only has to interrupt the loop, and it only has to happen once to prove it can.

To keep it going, tie the step to something that already happens every day rather than to your willpower. The window is your anchor; the small pause is what you do at the window. Expect to forget it most days at first. Forgetting isn't the opposite of the habit — it's the first stage of building one. You're not aiming for a streak. You're aiming for it to happen a little more often than it did last week.

### **Where people usually stumble**

The most common stumble is expecting the pause to make the anger go away. It won't, and it isn't meant to. You may take the breath and still feel furious; the breath isn't there to remove the feeling, only to give you a moment of choice. If you measure the step by whether you stopped feeling angry, you'll conclude it doesn't work and drop it. Measure it by whether a few more of your responses were chosen rather than automatic. That's the whole win.

The second stumble is the all-or-nothing slide. You have a calmer afternoon, then a terrible evening, and something in you decides the whole effort failed. It didn't — a bad evening is data, not a verdict. When it happens, the move is not to double down or promise yourself it will never happen again. It's to look at that one evening, gently, and ask what was different: were you hungry, rushed, carrying something from earlier? Then adjust one small thing for the next day.

The third is trying to do this alone and in secret. Anger feels shameful, so we hide it, and hidden things are much harder to shift. Telling one trusted person — a partner, a friend, someone who won't lecture you — that you're working on this makes it real and makes you a bit more accountable, without turning it into a performance. You don't need an audience; you need a witness.

As for how long it takes: longer than a weekend, shorter than you fear, and it doesn't move in a straight line. Expect progress that looks like a slightly longer gap before you react, more often than before. That's it — that's the change. Over weeks it becomes noticeable; over months it becomes a habit you no longer have to think about. There's no finish line

where you're never angry again, and chasing one only sets you up to feel like a failure. The realistic goal is a wider gap, reached more often.

### **A short closing summary**

Your anger is part of the scene, not a shameful secret to bury. It comes in many shapes — the sharp voice, the quiet sigh, the delayed blow-up, the guilt afterwards — and none of them makes you a bad parent. Anger is information, and the space between the feeling and the reaction is what you can actually work with. Start with one hard window in your day and one small pause inside it. Expect to forget, expect a bad evening, and measure yourself by chosen responses rather than by whether you felt angry. Small, repeated, and witnessed by someone — that's how this changes.

#### **PRACTICE**

1. Name the one time of day your anger most reliably appears, and write it down.
2. Choose one small pause to use at that time — a slow breath out, ten seconds in the next room, or saying "I need a minute" and taking one.
3. Tell one trusted person you're working on this, and ask them to check in with you this week.
4. At the end of each day, note whether the pause happened — not whether you stayed calm, only whether you paused.

## Common Mistakes and Detours

Think about the last time your child's behaviour got the better of you. Not the incident itself — the moment just before you responded. What did you do in that split second? Did you raise your voice? Take something away? Begin a long explanation you were still building halfway through? If you're honest, you probably reached for the first thing that came to hand, the way anyone does when they're tired and overwhelmed.

That split second is where this chapter lives. Before we talk about what works, it helps to name what most of us do instead — not to scold ourselves, but because these automatic moves are so common that they're practically a roadmap of where the road bends. You'll recognise at least a few.

### **The moment you get pulled into the storm**

Picture the ordinary scene. It's evening, the day is done, everyone is worn thin, and your child is refusing something small — getting into the bath, turning off a screen, putting on shoes. You ask once, cheerfully. You ask again, flatter. By the third attempt your voice has hardened, and now the two of you aren't really arguing about the bath anymore. You're in a standoff, and neither of you quite remembers how it started.

It shows up in a hundred small costumes. The child who screams until the volume is turned down, then screams harder when you give in. The child who hits a sibling and then watches your face to see what happens next. The child who flops to the floor over a coat, in a doorway, at exactly the wrong hour. The child who asks "why?" to every instruction, not because they want an answer but because the question keeps the conversation alive.

Notice that these scenes almost always surface at the edges of the day — hungry, tired, rushed, overstimulated. That's not an accident, and it's the first clue to what's really happening underneath.

### **The dead end that hides underneath the battles**

Here's what's easy to miss: the difficult behaviour you're seeing on any given evening is rarely the whole story. It's the visible tip of something slower — a mismatch between what a child is asked to do and what that child can currently manage. Young children feel things long before they can name them, and they can name things long before they can regulate them. When the feeling outruns the words, behaviour becomes the language.

This is why the same child can be angelic one day and erupt the next. The behaviour isn't a fixed trait showing through; it's a signal that something is loading the system — hunger, fatigue, a change at home, a demand that's a step too far, a lack of warning before a transition. Seen this way, the questions that help aren't "How do I stop this?" but "What was stacking up before it happened?" When you can spot the pressure, the pressure often explains more than the incident itself.

And there's a reason these moments pull us so hard. When your child is screaming at you, your own alarm system fires. In ordinary life this is held to be one of the most demanding experiences in parenting, and it makes sense: you're being judged in public, you're exhausted, and part of you reads the behaviour as a verdict on your parenting. So you react from that alarm, not from calm. That's not a character flaw — it's how almost everyone is wired when they're depleted.

### **Why the hard moments repeat**

You can already see it: the explosive evening meets an exhausted adult, the exhausted adult reacts from alarm, the reaction feeds the storm, the storm leaves everyone more depleted for tomorrow. The same scene returns, and each time it returns it feels a little more "normal." That loop is what the rest of this part of the chapter is really about — and why some of the most instinctive responses we reach for can quietly keep it spinning.

That's the loop. Now let's look at the specific moves most of us make inside it, because the loop isn't held together by some vague force — it's held together by habits. And habits can be named, which means they can be changed.

### **The threats that buy you a minute and cost you a week**

Threatening is the most natural response in the world. "If you don't get in the bath, no story tonight." It works — for about ninety seconds. The problem is that a threat only has power while it's believable, so the next time you need a bigger one, and then a bigger one after that. You end up a hostage to your own escalation, saying things you have no intention of carrying out, and your child learns something useful: that the first several warnings are theatre.

The slower cost is what it does to the relationship. A steady stream of threats teaches a child that cooperation is something extracted under pressure rather than something that belongs to them. And when a threat is one you can't or won't follow through on — leaving the house, cancelling a birthday — you've taught that words don't mean much. The aim

isn't to never set a limit. It's to make the limits you set ones you can actually hold, calmly, without the drama of a countdown.

### **The punishments that grow faster than the behaviour**

Punishment feels like justice in the moment, and that's why it's so seductive. But watch what it actually teaches. A child who loses a favourite thing for an outburst learns to associate the adult with loss, not to understand what went wrong. They may get quieter, which looks like progress, while the feeling that drove the behaviour simply goes underground and finds a new exit.

There's also the arithmetic problem. Punishments tend to escalate — the same consequence stops landing, so it gets heavier — while the underlying need stays exactly where it was. If a child is melting down because they're overtired or because a transition came without warning, removing a privilege does nothing about either. You've added a second upset on top of the first. Limits are necessary, and consequences can be fair and predictable, but a consequence should be small, connected to what happened, and delivered without heat. If it has to be enormous to work, it's usually carrying a job it can't do.

### **The inconsistency that isn't really about rules**

Most parents know what they intend to do. Then real life arrives. On a good day the boundary is firm; on a depleted day it dissolves because you cannot face another twenty minutes of protest. That's not hypocrisy — it's exhaustion making the decision. But from a child's seat, the rule looks negotiable, so it's worth testing every single time. Inconsistency is one of the quietest engines of repeat behaviour, because it turns every request into an open question.

The fix isn't to become a machine. No one holds the line perfectly, and pretending otherwise just adds shame. It's to pick a very small number of things you will genuinely hold steady on, and let the rest be flexible by design rather than by collapse. Fewer rules, held more reliably, do more than a long list that bends whenever you're tired. And when you do wobble — because you will — the repair is short and plain: name it, restate the limit, move on. Children cope remarkably well with an adult who is steady most of the time and honest about the exceptions.

### **The explanation that becomes the whole conversation**

Over-explaining is the mistake that looks most like good parenting from the outside. You want your child to understand, so you explain — why the screen has to go off, why hitting hurts, why we don't speak that way. The trouble is that reasoning is a thinking tool, and a

child in the middle of an outburst is not in a thinking state. The words arrive as noise, or worse, as an invitation to argue, because every explanation has an opening in it.

So the explanation goes in at the wrong time. Use it later, when everyone's calm, in a couple of sentences rather than a lecture — that's when it can actually land. During the storm, the useful move is short and dull: a few words, a steady presence, the limit held without a speech. It feels like doing less. It usually is doing less, and it is also doing more of what matters, because you're not feeding the storm with material to push against.

### **One small step you can take today**

Pick one recurring flashpoint — not the worst one, just a reliable one, like the screen going off or shoes before school. Over the next few days, do nothing about the child's behaviour. Instead, prepare the moment. Give a warning a few minutes ahead. Say what's going to happen in one short sentence. Then hold that single limit calmly, with as few words as you can manage, and let the protest happen without adding a second one of your own. That's the whole step.

You keep it going by making it small enough to survive a bad day. Choose one flashpoint, not five. If you manage it three times out of five this week, that counts. Notice the times it went better and ask yourself what was different about the minutes before it — that's where your leverage actually lives. And keep a note of what you didn't do: no threat, no speech, no new consequence invented on the spot. For most of us, doing less on purpose is the hardest part, so it's worth tracking separately.

### **Where people stumble**

The first stumble is expecting calm to arrive immediately. You hold the limit quietly once and your child still erupts, so it feels like the approach failed. It didn't — you're not trying to prevent the feeling, you're trying to stop adding fuel. The feeling still has to come out. Judge yourself on how you handled the minutes, not on whether the storm was cancelled.

The second stumble is the day everything slides. You've had a terrible night, the limit dissolves, and now you feel you've ruined the progress. You haven't. One loose day doesn't undo a pattern; a pattern is built from frequency, not perfection. The repair is a single sentence the next day: "Last night I let that slide. The rule's still the rule." That's it — no confession, no lecture, just a reset.

The third stumble is regression, and it catches almost everyone. Things improve for a stretch, then slide backwards for a week, and it feels like proof the whole direction was wrong. In reality, change in a child's behaviour is not a straight line, and a stretch of harder

days often follows a stretch of growth — new demands, a growth spurt, a change in routine. When regression comes, don't change the plan in a panic. Return to the small step, keep it boring, and let the wave pass.

As for how long this takes: honestly, longer than you'd like, and slower than you can easily measure. You're not fixing a behaviour, you're shifting a relationship pattern, and patterns move by small increments that only look obvious in hindsight. Expect weeks, not days, and expect the change to show up in the spaces between incidents before it shows up in the incidents themselves. If you're doing the small step consistently and the situation isn't improving at all after a fair stretch, that's a good moment to look more closely at what's loading your child's system — not a moment to push harder.

## **In closing**

The most instinctive moves — the threat, the punishment, the explanation, the collapse of the boundary on a tired evening — all have the same shape. They try to end the moment quickly, and they quietly make the next one harder. You don't need to eliminate them from your repertoire. You need to notice them in the split second, and choose one small, steady thing instead. That's the whole practice, and it's small enough to start tonight.

### **PRACTICE**

**\*\***

1. Choose one recurring flashpoint from this week — just one.
2. For three days, prepare it instead of reacting: give a short warning, state the limit in one sentence, then hold it calmly with as few words as you can.
3. Each evening, note two things: what happened in the minutes before, and what you managed not to do.
4. When you slip, don't restart the whole plan — repair in one sentence the next day and go back to the same small step.

## A Small Plan for Lasting Change

Remember the most recent time your child's behaviour overwhelmed you. Not the worst day you can remember — just the most recent one. Maybe it was a morning that fell apart over a pair of shoes, or a supermarket trip that ended with you carrying a shouting child out of the door while other shoppers looked on. Maybe it was quieter than that: a sullen refusal to do homework, a door slammed hard enough to rattle the frame, a plate pushed across the table. Now ask yourself honestly: in that moment, did you know what you were going to do next? Or did you simply react — raise your voice, give in, threaten, apologize, or freeze — and only afterwards wonder what had just happened?

That question is worth sitting with, because most parents don't arrive at this chapter with a tidy system in place. They arrive with a collection of moves they've picked up along the way: something that worked last Tuesday, something a relative suggested, something they swore they'd never do and then did anyway. It works for a while, then it stops working, and the whole thing starts again. The behaviour changes shape — the tantrums of the toddler years become the arguments and door-slamming of the school years — but the feeling underneath is the same. You are improvising, and it is exhausting.

The shapes this takes in daily life are so familiar that they almost stop looking like a pattern. There's the morning rush, where every small request becomes a standoff because everyone is tired and the clock is running. There's the whining-and-giving-in loop, where you say no firmly, hold out for a while, and finally hand over the snack or the screen just to get some peace — and then feel worse than if you'd said yes at the start. There's the escalation cycle, where a small correction turns into a shouting match nobody planned. And there's the quieter version: the parent who has stopped asking for much at all, because it's easier to avoid the flashpoints than to face them. Different households, different shapes, but the same underlying feeling of being pulled along by events instead of steering them.

### Why walking on eggshells feels like a strategy

One of the reasons parents don't build a plan is that avoidance genuinely works in the short term. If you don't ask your child to turn off the television, you won't have the argument. If you let the homework slide tonight, the evening stays calm. Each of these small surrenders buys you a quieter hour, and that hour is real — it isn't nothing. The trouble is that the quiet is rented, not owned. You pay for it later, usually with interest, because the thing you avoided hasn't gone anywhere. It has simply been postponed, and often grown slightly larger in the meantime.

There's a second reason plans don't get made, and it's less about avoidance than about exhaustion. When you're in the middle of a difficult stretch, the idea of sitting down and designing a structured approach feels like being asked to renovate the kitchen while the house is on fire. You don't have the energy. So you keep patching: a new rule here, a fresh threat there, a reward promised and then forgotten by Thursday. Patching isn't lazy — it's what people do when they're running on empty. But patches don't hold, and every patch that fails makes you trust your own authority a little less.

And then there's the third reason, which is harder to admit: many parents believe they've already tried everything. And in a sense they have — they've tried everything *except* a plan. What they've actually tried is a series of separate tools, each applied on its own, each abandoned before it had a chance to work. A consequence used once isn't a consequence; it's an event. A routine followed for two days isn't a routine. The tools from the earlier chapters of this book aren't meant to be used one at a time, like ingredients taken from a cupboard at random. They're meant to be combined into something that fits your particular family — and that is a different kind of work.

### **What's actually happening underneath**

Here is the plain version of what's going on. Children's behaviour is not random, and it is not a verdict on your parenting. It is communication — usually clumsy, often loud, sometimes infuriating, but communication nonetheless. A child who hits is telling you something about a feeling he can't yet put into words. A child who refuses every instruction is telling you something about control, or tiredness, or a need to feel that her voice counts for something. The behaviour is the surface; underneath it there is a need, a skill that hasn't developed yet, or a mismatch between what is being asked and what the child can currently manage. When you only respond to the surface, you're treating the symptom and leaving the cause untouched, which is why the same scene keeps returning.

Why does it repeat? Partly because the need underneath is still unmet — nobody has addressed it. But there's a second mechanism, and it's the one parents find hardest to hear: the repetition is often being *maintained by the responses it gets*. Suppose that a child learns, over many repetitions, that shouting eventually produces the screen, that whining long enough ends the no, that a slammed door gets a reaction worth having. The behaviour is being rewarded, not because anyone decided to reward it, but because in the heat of the moment giving in felt like the only way through. Every time that happens, the lesson is taught again: this works. And the same is true in the other direction — a child who learns that asking politely gets nowhere may stop asking politely. The responses aren't the whole story, but they are a bigger part of it than most of us like to think.

The other thing happening underneath is simpler and more human. Families run on predictability, and unpredictability is expensive. When the rules shift depending on your mood, the day of the week, or who else is in the room, a child has to spend energy working out the terrain instead of just living on it. That constant testing — the pushing, the negotiating, the "but last time you said" — is not manipulation for its own sake. It's a child checking whether the ground is solid. A plan, at its heart, is simply a way of making the ground solid: not perfect, not rigid, but steady enough that nobody has to keep checking.

None of this means the answer is to become stricter, or softer, or to find the one technique you've been missing. It means something less dramatic and more useful. The behaviours that wear you down are patterns, and patterns can be changed — but only by something that is itself a pattern, applied consistently and small enough to survive a bad week. That is what a family plan is: not a transformation, not a cure, but a small, steady structure that replaces improvisation with intention. The rest of this chapter is about how to build one that actually fits your life, starting from where you already are.

living in it. You can't remove every source of unpredictability from a family's life — illness, work stress, a new baby, a move, all of it lands on children too — but you can remove the unpredictability that comes from *you*. That is the part within reach. A child who knows roughly what happens next, and roughly how you will respond, is a child who doesn't have to test the ground every single morning. And a parent who has decided in advance what they will do is a parent who is not making decisions at the worst possible moment, with the least possible information, while being shouted at.

### **One small step you can take today**

Here is the step, and it is deliberately small: pick one behaviour, and one moment of the day. Not the whole child, not the whole household — one behaviour, one moment. Perhaps it's the morning shoe battle. Perhaps it's the whining that meets every "no." Perhaps it's the screen being switched off at bedtime. Choose the one that drains you most, and choose it because it is frequent and predictable, not because it's the worst thing that has ever happened. Frequent and predictable is exactly what makes it workable.

Then write down three things, in ordinary language, on a piece of paper you will actually see again. First, what usually happens — the sequence, honestly, including your own part of it. "I say it's time to go, he ignores me, I ask again louder, he shouts, I shout, I end up putting his shoes on while he kicks." Second, what you would like to happen instead — not perfect behaviour, just a better version of the same scene. "I say it once, give a warning, and he puts his shoes on with grumbling but without the fight." Third, and this is the part people skip: what *you* will do, specifically, at each point in the sequence. What

you will say first. What you will do if it isn't done. What you will stop doing — the second and third repetitions, the raised voice, the eventual doing-it-for-him. Write it as instructions to yourself, because that's what it is.

The rule for this first plan is that it must contain something you can actually carry out on a bad day. If your plan requires calm, a timer, a reward chart, and a fifteen-minute conversation at exactly the moment everyone is late, it will fail, and it will fail on the first morning. Keep it to what you can do while tired, while irritated, while being shouted at. Suppose your plan is simply: say it once, wait, then follow through with the consequence you have already named — and nothing else. That is a real plan. It is small, it is repeatable, and it moves the whole scene in a better direction.

### **Keeping it going past the first week**

A plan survives or dies in the follow-through, and follow-through is a stamina problem more than a knowledge problem. The way to protect it is to make the follow-through the easiest thing available. Name the consequence in advance, out loud, and make sure it is one you are genuinely willing to enforce every single time — small and certain beats big and occasional. "If the shoes aren't on by the time I count to ten, we leave without the tablet in the car" is a consequence you can deliver while walking out of the door. "No screen for a week" is one you will quietly abandon by Wednesday, and your child will learn that your consequences are weather rather than walls.

The second way to keep it going is to notice what you are *not* doing. The plan isn't only a list of actions; it's a list of things you stop. Stop repeating the instruction a fourth time. Stop arguing the point once the consequence has been named. Stop stepping in at the last second to rescue the situation — putting the shoes on yourself, finishing the homework, tidying the room — because each rescue teaches that your words can be waited out. This is harder than it sounds, because the rescue is often the kindest-feeling option in the moment. But the kindest thing over time is a parent whose words mean what they say, and that only gets built by letting a few uncomfortable moments actually happen.

And keep the plan narrow for longer than feels natural. There is a strong pull, once the first small plan starts to show signs of working, to add three more plans the same week. Resist it. A plan you have run for a fortnight is a plan you know the weak points of; four new plans running at once is chaos with paperwork. Get one moment of the day steady, then add the next. Going slowly is not a trade-off in this work; it is the method itself.

### **Where people usually stumble**

The first stumble is expecting the plan to change the child rather than the pattern. You will run your plan perfectly on Tuesday and still get a tantrum, because the tantrum is not only a response to you — it's a response to tiredness, hunger, a change at school, a hundred things you don't control. When that happens, the plan hasn't failed. What you are looking for is not the disappearance of the behaviour but a change in its shape: shorter, less intense, less frequent, ending differently. If the scene used to take twenty minutes and now takes eight, that is the plan working, and it is easy to miss because it doesn't feel like victory.

The second stumble is the day you can't do it. You're ill, you're late, you're at somebody else's house, and you abandon the whole thing and give in. What matters then is not that it happened but what you do next. Don't announce a fresh start, don't apologize to your child for having rules, and don't decide the plan was unrealistic. Just go back to it at the next opportunity, as if the lapse were a rainy day rather than a verdict. Children are not looking for perfection; they are looking for consistency they can rely on, and consistency includes returning after you've slipped.

The third stumble is subtler: the plan starts working, and you relax so completely that the old habits creep back — the second instruction, the occasional rescue, the consequence that gets forgotten when you're in a good mood. This is normal, and it isn't a sign that you're back at the beginning. It's a sign to look at the plan again and check whether it's still the right size for your life now. Plans need revisiting the way routines do.

As for how long it takes: honestly, longer than anyone wants to hear, and not in a straight line. You should expect the first week or two to feel like more work than before, because you are doing something new and thinking about it consciously. After that, if you've kept the plan small and enforced it most of the time, you can generally expect the pattern to start shifting — not vanishing, shifting — over the following weeks, with good stretches followed by difficult days that make you doubt everything. That is the ordinary shape of change in a family. It is not dramatic, and it is not fast, but it holds.

## **A short closing**

Everything in this book comes down to something quite modest: understand what the behaviour is telling you, decide in advance how you will respond, and then respond that way often enough that your child can count on it. Not perfectly. Not every time. Just most of the time, in one small corner of the day, and then the next. You don't need to fix everything this month. You need one plan you can keep — and the willingness to go back to it after the days it falls apart.

## PRACTICE

1. Choose one frequent, predictable flashpoint and write down, in plain words, what usually happens, what you'd like instead, and exactly what you will say and do at each step.
2. Name one small consequence you are genuinely willing to enforce every time, and one thing you will stop doing (repeating, arguing, or rescuing).
3. Run only this one plan for two weeks; each time it slips, return to it at the next opportunity without restarting or apologizing.
4. At the end of two weeks, note whether the scene has changed shape — shorter, milder, less frequent — rather than whether it has disappeared.

---

## Further reading

- Edward M. Hallowell, *Answers to distraction*, 1994 · ISBN 9780679439738
- Ellen Bowers, *The everything guide to raising a toddler*, 2011 · ISBN 9781440525858
- Goldie Hawn, *10 mindful minutes*, 2011 · ISBN 9780399174919
- Jane Nelsen, *Positive Discipline for Single Parents*, 1994 · ISBN 9781559583558
- Thomas W. Phelan, *1-2-3 magic*, 1995 · ISBN 9781492629887
- Warwick Pudney, *A volcano in my tummy*, 1994 · ISBN 9781771423557

— The End —